

Practitioner Diversion Awareness Conference

Drugs of Abuse and Trends Marsha L.D. Ikner, Staff Coordinator Liaison Section







LEGAL DISCLAIMER

The following presentation was accompanied by an oral presentation on July 22 - 23, 2019, and does not purport to establish legal standards that are not contained in statutes, regulations, or other competent law. Statements contained in this presentation that are not embodied in the law are not binding on DEA. Summaries of statutory and regulatory provisions that are summarized in this presentation do not purport to state the full extent of the statutory and regulatory requirements of the cited statutes and regulations. I have no financial relationships to disclose.



Fair Use Act Disclaimer

This presentation is for educational purposes only. This presentation may not be further copied or used, with the embedded images and videos, without an independent analysis of the application of the Fair Use doctrine.

Fair Use

Under section 107 of the Copyright Act of 1976, allowance is made for "Fair Use" for purposes such as criticism, comment, news reporting, teaching, scholarship, education and research.

Fair Use is a use permitted by the copyright statute that might otherwise be infringing. Any potentially copyrighted material used in this presentation has been reviewed and found to be used in a manner consistent with Fair Use. A completed Fair Use checklist is attached.





§ Discuss the Public Health Epidemic.

s Review the common drugs of abuse.

s Discuss the relationship between pharmaceutical controlled substances and heroin.





s Discuss the violence related to controlled substance prescribing and dispensing.

s Review key research and studies involving the impact of indiscriminate prescribing of controlled substances.

5



Questions to Discuss

At the completion of this block of instruction you will be able to answer the following questions:

1. Which country, per million population, has the largest amount of drug induced deaths ages 15-64?

2. Where does Indiana rate in the United States in the amount of Hydrocodone dispensed?



Questions to Discuss


3. What percentage of the world's hydrocodone production does the United States consume?

4. What is the most misused prescription controlled substance pain reliever in the United States?

5. What percent of heroin users began their addictions with prescribed pain relievers?




The Problem – People Are Dying



SOURCE: National Vital Statistics System Mortality File.



The Problem – People Are Dying



U.S. Drug Enforcement Administration Diversion Control Division



Drugs of Abuse

The top 5 distributed scheduled controlled substances in the United States:

- 1. Hydrocodone
- 2. Oxycodone
- 3. Amphetamines
- 4. Methylphenidate
- 5. Morphine



Where Does the United States Rank In Consumption?

	United	States	Chi	na	World
	(Pop. 32	0 Mil.)	(Pop. 1.3'	7 Billion)	(7.3 Bil)
Drug Name	Percent	Tons	Percentage	Tons	Tons
Hydrocodone			0.00%	0.001	36.3
Oxycodone			1.08%	0.9	83.2
Morphine			3.92%	1.6	40.8
Codeine			2.66%	7.6	285.5
Methadone			4.56%	1.5	32.9
Fentanyl			0.32%	0.006	1.85

Source (2017). INCB data, International Narcotics Board: Comments on Reported Statistics on Narcotic Drugs.



Hydrocodone

- s Hydrocodone / Acetaminophen (toxicity)
- s Similarities:
 - **s** Structurally related to codeine
 - s Equal to morphine in producing opiate-like effects
- s Brand Names: Vicodin[®], Lortab[®], Lorcet[®]








s October 6, 2014 moved to SCHEDULE II



s <u>Street prices</u>: \$2 to \$10 per tablet depending on strength & region




The Trinity Cocktail






Hydrocodone Distribution 2014 - 2018 U.S. Totals



15

Source: ARCOS Date Prepared: 07/16/2019



Drug Enforcement Administration Diversion Control Division Pharmaceutical Investigations Section Targeting and Analysis Unit

Source: ARCOS Date Prepared: 07/16/2019



Hydrocodone Distribution Retail Pharmacies



State Ranking Average Per 100K Population* Hydrocodone

January – December 2018

RANK	STATE	TOTAL	RANK	STATE	TOTAL	RANK	STATE	TOTAL	RANK	STATE	TOTAL	RANK	STATE	TOTAL
1	KY	3,188,067	12	NV	1,945,054	23	IA	1,377,053	34	ME	968,733	45	NH	504,394
2	AL	3,170,657	13	KS	1,928,574	24	UT	1,374,397	35	AK	918,542	46	DE	456,158
3	OK	2,893,355	14	WV	1,901,637	25	WY	1,316,359	36	ND	886,377	47	MD	402,421
4	AR	2,861,115	15	SC	1,864,541	26	NE	1,284,863	37	PA	876,701	48	СТ	385,228
5		2,397,920	16	OR	1,766,073	27	NC	1,261,528	38	VA	847,729	49	MA	351,637
6	IN		17	MT		28	FL	1,192,959	39	CO	830,638	50	NJ	
		2,396,883			1,664,945									253,277
7	MI	2,370,022	18	ТХ	1,585,340	29	OH	1,168,451	40	HI	806,587	51	VI	181,725
8	ID	2,335,084	19	GA	1,584,913	30	SD	1,140,159	41	RI	724,803	52	DC	153,144
9	MS	2,146,729	20	СА	1,559,081	31	NM	1,139,457	42	MN	656,179	53	GU	46,909
10	LA	2,133,678	21	IL	1,540,258	32	AZ	1,103,984	43	NY	592,057	54	PR	5,740
11	MO	1,994,749	22	WA	1,392,248	33	WI	1,067,834	44	VT	545,467	55	AS	0

* Business Activity – Retail Pharmacies

Source: Drug Enforcement Administration, Diversion Control Division, Pharmaceutical Investigations Section, Targeting and Analysis Unit Date Prepared: 07/16/2019



Hydrocodone Distribution Practitioner's Office



State Ranking Average Per 100K Population* Hydrocodone January – December 2018

RANK	STATE	TOTAL	RANK	STATE	TOTAL	RANK	STATE	TOTAL	RANK	STATE	TOTAL	RANK	STATE	TOTAL
1	HI	25,091	12	NV	4,893	23	IA	3,488	34	LA	2,482	45	KS	1,635
2	GA	8,376	13	FL	4,766	24	NJ	3,100	35	SD	2,456	46	AR	1,594
3	MO	7,351	14	MT	4,760	25	WI	3,053	36	NY	2,134	47	SC	1,028
4	WY	6,988	15	WA	4,593	26	MN	2,990	37	OH	2,082	48	VT	991
5	СА	6,775	16	ID	4,333	27	UT	2,951	38	MA	2,053	49	DC	897
6	ND	6,551	17	AL	4,114	28	СТ	2,667	39	GU	2,018	50	NM	883
7	MD	6,484	18	AZ	4,089	29	NE	2,602	40	ТΧ	2,015	51	MS	571
8	IL	6,041	19	TN	3,925	30	MI	2,576	41	DE	1,993	52	NH	135
9	AK	5,300	20	VA	3,815	31	RI	2,537	42	ME	1,882	53	AS	0
10	CO	5,219	21	OK	3,670 (32	IN	2,528	43	WV	1,867	54	PR	0
11	OR	5,173	22	KY	3,511	33	PA	2,508	44	NC	1,718	55	VI	0


* Business Activity – Retail Practitioners

Source: Drug Enforcement Administration, Diversion Control Division, Pharmaceutical Investigations Section, Targeting and Analysis Unit Date Prepared: 07/16/2019



OxyContin®

The 1990s







- § OxyContin® controlled release formulation of Schedule II oxycodone:
 - **s** The controlled release method of delivery allowed for a longer duration of drug action and contained much larger doses of oxycodone.
 - **s** Abusers easily compromised the controlled release formulation by crushing the tablets for a powerful morphine-like high.
 - s 10, 20, 40, 80mg available.







s Similar to morphine in effects and potential for abuse/dependence.

s Sold in "Cocktails" such as:

s Oxycodone, Soma ® and Xanax®






- Street price: Approx. \$80 per 80mg tablet
- 90 tabs prescribed a month =
- \$7200 a month income.
- \$85,400 year.



Oxycodone Distribution 2014 - 2018 U.S. Totals





Pharmaceutical Investigations Section, Targeting and Analysis Unit

Source: ARCOS Date Prepared: 07/16/2019



Oxycodone Distribution Retail Pharmacies



State Ranking Average Per 100K Population* Oxycodone January – December 2018

RANK	STATE	TOTAL	RANK	STATE	TOTAL									
1	TN	2,210,000	12	ОК	1,612,469	23	ME	1,351,121	34	VΑ	1,154,898	45	MI	745,202
2	DE	2,184,853	13	FL	1,573,010	24	CO	1,340,700	35	IN	1,145,469	46	ND	719,122
3	AZ	1,981,541	14	OH	1,522,968	25	KS	1,339,171	36	WI	1,144,344	47	SD	657,859
4	NC	1,952,249	15	SC	1,522,007	26	СТ	1,331,781	37	RI	1,109,030	48	СА	611,674
5	OR	1,815,155	16	AL	1,484,259	27	AR	1,306,212	38	VT	1,095,364	49	IA	604,770
6	UT	1,789,318	17	NJ	1,451,008	28	WV	1,290,420	39	NY	1,075,752	50	IL	345,035
7	NV	1,785,517	18	MO	1,421,093	29	MA	1,263,347	40	MS	1,070,969	51	ТΧ	327,842
8	MD	1,713,608	19	WY	1,420,181	30	AK	1,260,635	41	MN	1,028,595	52	PR	194,453
9	КҮ	1,688,158	20	GA	1,383,768	31	LA	1,245,386	42	HI	914,721	53	VI	194,309
10	PA	1,659,693	21	NH	1,381,153	32	ID	1,231,659	43	DC	829,225	54	GU	186,292
11	WA	1,620,092	22	NM	1,372,984	33	MT	1,188,490	44	NE	795,049	55	AS	0

* Business Activity – Retail Pharmacies



Oxycodone Distribution Practitioner's Office



State Ranking Average Per 100K Population* Oxycodone January – December 2018


RANK	STATE	TOTAL	RANK	STATE	TOTAL	RANK	STATE	TOTAL	RANK	STATE	TOTAL	RANK	STATE	TOTAL
1	н	15,444	12	OR	916	23	VA	412	34	IL	170	45	KY	78
2	KS	10,236	13	ОК	906	24	MO	355	35	RI	154	46	SD	74
3	MD	4,916	14	NV	879	25	ME	346	36	NM	151	47	NC	71
4	GA	2,808	15	AZ	849	26	NJ	342	37	OH	143	48	DE	56
5	СТ	2,711	16	ID	825	27	CA	296	38	MT	142	49	ТХ	48
6	CO	2,623	17	AK	703	28	PA	294	39	MS	140	50	WV	5
7	WI	1,643	18	IA	685	29	MI	284	40	IN	131	51	AS	0
8	TN	1,366	19	NY	609	30	AR	216	41	MA	97	52	GU	0
9	NE	1,124	20	WY	463	31	FL	214	42	SC	90	53	PR	0
10	AL	1,065	21	ND	448	32	NH	198	43	UT	87	54	VT	0
11	MN	1,036	22	DC	432	33	WA	182	44	LA	86	55	VI	0

* Business Activity – Retail Practitioners


Source: Drug Enforcement Administration, Diversion Control Division, Pharmaceutical Investigations Section, Targeting and Analysis Unit Date Prepared: 07/16/2019



Amphetamines Distribution 2014 - 2018 U.S. Totals



Drug Enforcement Administration, Diversion Control Division, Pharmaceutical Investigations Section, Targeting and Analysis Unit



Source: ARCOS Date Prepared: 07/16/2019



Amphetamines Distribution Retail Pharmacies



State Ranking Average Per 100K Population* Amphetamines January – December 2018

RANK	STATE	TOTAL	RANK	STATE	TOTAL	RANK	STATE	TOTAL	RANK	STATE	TOTAL	RANK	STATE	TOTAL
1	RI	1,191,940	12	NC	719,758	23	SD	612,973	34	ТΧ	530,221	45	NJ	418,290
2	LA	1,079,340	13	MN	716,808	24	WA	610,713	35	CO	520,885	46	WY	394,904
3	UT	1,016,629	14	WI	705,671	25	ОН	599,556	36	IL	516,243	47	AK	351,557
4	NH	988,010	15	DE	699,196	26	ID	592,077	37	FL	516,009	48	NV	325,983
5	SC	931,252	16	KS	691,400	27	IA	578,211	38	NE	495,366	49	СА	291,193
6	MA	907,900	17	IN	661,094	28	PA	572,313	39	AZ	486,822	50	NM	246,956
7	AL	878,939	18	TN	660,160	29	MD	565,747	40	MT	479,641	51	HI	234,139
8	MO	784,789	19	GA	652,631	30	VT	564,045	41	OK	469,517	52	VI	99,140
9	MI	776,803	20	OR	627,744	31	AR	561,727	42	NY	461,670	53	PR	98,178
10	DC	756,591	21	MS	621,665	32	KY	543,709	43	ND	434,543	54	GU	55,148
11	VA	740,182	22	ME	614,970	33	СТ	540,753	44	WV	425,873	55	AS	0

* Business Activity – Retail Pharmacies

Source: Drug Enforcement Administration, Diversion Control Division, Pharmaceutical Investigations Section, Targeting and Analysis Unit Date Prepared: 07/16/2019



Amphetamines Distribution Practitioner's Office



State Ranking Average Per 100K Population* Amphetamines January – December 2018


RANK	STATE	TOTAL												
1	TN	1,312	12	MD	18	23	UT	7	34	GU	0	45	NM	0
2	CA	181	13	ID	16	24	OK	7	35	HI	0	46	ND	0
3	VA	103	14	MN	15	25	NC	3	36	IA	0	47	OR	0
4	SC	94	15	AL	12	26	00	2	37	LA	0	48	PR	0
5	FL	85	16	KY	12 (27	IN	2	38	ME	0	49	RI	0
6	DC	66	17	WA	11	28	ŇÝ	1	39	MA	0	50	SD	0
7	GA	49	18	IL	10	29	AK	0	40	MS	0	51	VT	0
8	OH	43	19	ТХ	9	30	AS	0	41	MT	0	52	VI	0
9	KS	34	20	PA	9	31	AZ	0	42	NV	0	53	WV	0
10	AR	29	21	MO	8	32	СТ	0	43	NH	0	54	WI	0
11	NE	29	22	MI	8	33	DE	0	44	NJ	0	55	WY	0

* Business Activity – Retail Practitioners


Source: Drug Enforcement Administration, Diversion Control Division, Pharmaceutical Investigations Section, Targeting and Analysis Unit Date Prepared: 07/16/2019



Methylphenidate Distribution 2014-2018 U.S. Totals



37



Pharmaceutical Investigations Section, Targeting and Analysis Unit

Source: ARCOS Date Prepared: 07/16/2019



Methylphenidate Distribution Retail Pharmacies



State Ranking Average Per 100K Population* Methylphenidate

January – December 2018

RANK	STATE	TOTAL												
1	VT	631,987	12	WI	370,580	23	MT	334,250	34	СТ	306,889	45	NJ	202,963
2	ME	595,452	13	RI	369,390	24	PA	334,030	35	IL	293,133	46	FL	200,623
3	NH	513,415	14	NC	354,920	25	KS	330,245	36	MS	265,711	47	AK	192,701
4	IA	512,097	15	SC	353,820	26	WA	329,525	37	DC	264,241	48	NM	167,152
5	SD	462,150	16	OR	353,491	27	KY	324,285	38	ОК	258,510	49	HI	145,973
6	MA	428,531	17	MI	349,432	28	AL	323,278	39	WY	256,903	50	CA	143,192
7	MO	420,737	18	WV	345,126	29	AR	320,587	40	TN	256,659	51	PR	119,902
8	ND	409,617	19	ID	341,584	30	UT	320,000	41	ТХ	253,988	52	NV	106,171
9	DE	393,215	20	OH	339,801	31	LA	319,097	42	AZ	253,266	53	VI	28,955
10	NE	378,170	21	IN	338,624	32	GA	317,033	43	NY	230,533	54	GU	25,439
11	MN	373,777	22	MD	335,895	33	VA	309,486	44	CO	214,766	55	AS	0

* Business Activity – Retail Pharmacies

U.S. Drug Enforcement Administration Diversion Control Division **40**



Methylphenidate Distribution Practitioner's Office




State Ranking Average Per 100K Population* Methylphenidate January – December 2018

RANK	STATE	TOTAL												
1	NV	495	12	VA	30	23	AK	0	34	LA	0	45	NM	0
2	TN	356	13	NC	14	24	AS	0	35	ME	0	46	ND	0
3	FL	228	14	AL	13	25	AZ	0	36	MD	0	47	ОК	0
4	OR	209	15	PA	13	26	СТ	0	37	MA	0	48	PR	0
5	AR	199	16	СА	13	27	DE	0	38	MI	0	49	RI	0
6	DC	133	17	WI	9	28	GU	0	39	MS	0	50	SC	0
7	KS	130	18	NY	8	29	HI	0	40	MO	0	51	SD	0
8	OH	102	19	UT	4	30	ID	0	41	MT	0	52	VT	0
9	ТХ	93	20	MN	4 🤇	31	IN	0	42	NE	0	53	VI	0
10	CO	74	21	WA	2	32	IA	0	43	NH	0	54	WV	0
11	IL	37	22	GA	1	33	KY	0	44	NJ	0	55	WY	0


* Business Activity – Retail Practitioners



Morphine Distribution 2014 - 2018 U.S. Totals



Drug Enforcement Administration, Diversion Control Division, Pharmaceutical Investigations Section, Targeting and Analysis Unit



Source: ARCOS Date Prepared: 07/16/2019



Morphine Distribution Retail Pharmacies



State Ranking Average Per 100K Population* Morphine January – December 2018

RANK	STATE	TOTAL												
1	DE	309,560	12	MI	204,317	23	MO	174,440	34	MS	136,518	45	MN	110,865
2	AZ	309,248	13	AR	197,608	24	CO	174,310	35	NE	130,204	46	NJ	104,662
3	ОК	288,281	14	VT	192,735	25	MD	169,992	36	WV	128,171	47	ND	101,041
4	NV	281,845	15	AK	188,841	26	ME	163,782	37	IA	127,287	48	ТΧ	97,170
5	TN	277,809	16	PA	186,194	27	NC	161,881	38	KY	123,626	49	IL	90,079
6	OR	268,950	17	WY	182,632	28	HI	155,542	39	MA	123,362	50	NY	88,803
7	FL	251,780	18	SC	182,074	29	IN	151,025	40	SD	120,836	51	DC	52,246
8	ID	242,980	19	NH	180,023	30	NĪVĪ	150,568	41	OH	120,709	52	GU	42,930
9	UT	231,859	20	KS	179,011	31	GA	144,684	42	СТ	117,384	53	VI	12,930
10	WA	224,540	21	WI	178,761	32	СА	140,747	43	VA	114,819	54	PR	3,791
11	MT	219,208	22	AL	176,818	33	LA	137,337	44	RI	114,554	55	AS	0

* Business Activity – Retail Pharmacies

Source: Drug Enforcement Administration, Diversion Control Division, Pharmaceutical Investigations Section, Targeting and Analysis Unit Date Prepared: 07/16/2019



Morphine Distribution Practitioner's Office



State Ranking Average Per 100K Population* Morphine January – December 2018

RANK	STATE	TOTAL												
1	НІ	1,117	12	DE	51	23	NE	11	34	GU	0	45	NC	0
2	ОК	820	13	UT	51	24	ТХ	7 <	35	IN	0	46	ND	0
3	MD	802	14	MI	42	25	NJ	6	36	IA	0	47	OH	0
4	GA	270	15	AR	38	26	MO	3	37	KS	0	48	PR	0
5	СТ	260	16	MT	30	27	NM	3	38	KY	0	49	RI	0
6	ID	249	17	VA	29	28	SC	2	39	LA	0	50	SD	0
7	AL	200	18	СА	20	29	AZ	1	40	ME	0	51	TN	0
8	CO	109	19	WA	19	30	IL	1	41	MA	0	52	VT	0
9	WI	85	20	FL	16	31	AK	0	42	MN	0	53	VI	0
10	NY	57	21	OR	13	32	AS	0	43	MS	0	54	WV	0
11	NV	56	22	PA	11	33	DC	0	44	NH	0	55	WY	0

* Business Activity – Retail Practitioners

Source: Drug Enforcement Administration, Diversion Control Division, Pharmaceutical Investigations Section, Targeting and Analysis Unit Date Prepared: 07/16/2019



Drug Trends



Heroin and Fentanyl





- The raw material (opium) to manufacture heroin comes from the poppy plant.
- The raw material (opium) comes from outside of the U.S. Asia, Pakistan, Afghanistan.
- Heroin comes in through different drug routes primarily through Mexico.
- Heroin use has increased in the last 5 years.





§ Fentanyl is a synthetic opioid.

§ Fentanyl is very powerful (50-100 times more potent than heroin).

§ Dealers are combining Fentanyl with Heroin, pills, marijuana, counterfeit pills, etc.

§ Carfentanil (100 times more potent than Fentanyl).

§ Carfentanil is stolen or diverted from legitimate channels.



Fentanyl

S Is purchased from China and shipped directly to the United States or smuggled through Mexico.

May 2015 Chinese Customs seized 46 Kilos of Fentanyl and 26 Kilos of acetyl fentanyl.

6 customs officers became ill
1 in a coma after handling







§ Produced in clandestine labs in the United States.

- s DEA LA Field Division
- s Residential location
- s 3 pill presses
- s Powder mixing equipment
- S Ventilation equipment











Fentanyl Dangers to Practitioners

s Be cautious when inventorying personal items in ED or the hospital.

- **s** Be cautious when touching patients.
- **s** Be cautions when going through a patient's personal items.
- **s** Don't ever take back a patient's medications.





From Pills to Heroin



U.S. Drug Enforcement Administration Diversion Control Division



From Pills to Heroin

§ 75% of heroin users switched after first using controlled substance prescription pain relievers. S Heroin is much cheaper than prescription drugs. Seck: 1 small bag of heroin (\$8 to \$10) SBundle: 10 bags of heroin



Prescription Drug Abuse Trends



Prescription Drug Abuse


Is Driven By-

Indiscriminate Prescribing And Criminal Activity



Prescription Pain Reliever Misuse

(Age 12 and Older)(2016)




Source: National Survey On Drug Use and Health (2016)

U.S. Drug Enforcement Administration Diversion Control Division



Where Do They Come From?



Source: Department of Health and Human Services



University of Pennsylvania Dental School Study:

S *More than half of the narcotics prescribed for wisdom teeth removal go unused...findings suggest that more than 100 million pills prescribed go unused... leaving the door open for possible misuse or abuse.

> Source: <u>https://www.pennmedicine.org/news/news-</u> <u>releases/2016/september/100-million-prescription-opioid</u> https://www.nlm.nih.gov/medlineplus/news/fullstory_159336.html

John Hopkins Study:

- \$ +60% had leftover opioids they hung on for "future use"
- **§** 20% shared their medications
- s 8% likely will share w/ friend
- **§** 14% likely will share w/ relative
- s >10% securely lock their medication



John Hopkins Study:

§ The study further explored adult attitudes towards controlled substances and found:

§ 73 percent of adults agreed that children can overdose on opioids more easily than adults.



John Hopkins Study:

§ Yet found that 13% of the respondents "worry" about their children accessing their opioid medications.

s With parents of older children reporting that they were significantly less likely to worry about children accessing medications than parents of younger children.



Violence



U.S. Drug Enforcement Administration Diversion Control Division



Violence Associated With Opiates


Communities undergo:

- S Drug related crimes
 a. Robberies
 b. Burglaries/break ins
 c. Drug thefts
- s Abuse and neglect of children
- **§** Domestic violence in the home

§ Increase of arrests



Nationwide Practitioners Thefts January 1, 2018 – December 31, 2018



U.S. Drug Enforcement Administration Diversion Control Division


Drug Enforcement Administration, Diversion Control Division, Targeting & Special Projects Section, Reports Analysis Unit

Source: ARCOS Date Prepared: 07/16/2019



Indiana Practitioner Thefts

January 1, 2018 - December 31, 2018





Clinical Reminders:

s Opioids are not first-line or routine therapy for chronic pain.

§ Establish and measure goals for pain and function.

s Discuss benefits, risks and availability of non opioid therapies with patients.

Source: CDC Morbidity & Mortality Weekly Report CDC Guideline for Prescribing Opioids for Chronic Pain — United States, 2016, March 15, 2016 www.cdc.gov/drugoverdose/prescribing/guideline.html



Clinical Reminders:

- **s** Use immediate-release opioids when starting.
- s Start low and go slow.
- Solution When opioids are needed for acute pain, prescribe no more than needed.

Source: CDC Morbidity & Mortality Weekly Report CDC Guideline for Prescribing Opioids for Chronic Pain — United States, 2016, March 15, 2016 www.cdc.gov/drugoverdose/prescribing/guideline.html



Clinical Reminders:

s Do not prescribe ER/LA opioids for acute pain.

§ Follow-up and re-evaluate risk of harm; reduce dose or taper and discontinue if needed.

s Evaluate risk factors for opioid-related harms.

U.S. Drug Enforcement Administration Diversion Control Division Source: CDC Morbidity & Mortality Weekly Report CDC Guideline for Prescribing Opioids for Chronic Pain — United States, 2016, March 15, 2016 www.cdc.gov/drugoverdose/prescribing/guideline.html



Clinical Reminders:

- **s** Check PDMP for higher dosages and prescriptions from other providers.
- **s** Use urine drug testing to identify prescribed substances and undisclosed use.
- **s** Avoid concurrent benzodiazepine and opioid prescribing.
- s Arrange treatment for opioid use disorder if needed.



Survey of Long-Term Painkiller Users

- S Majority say their doctor talked about possibility of addiction or dependence – 61% say there was no discussion about plan to get them off.
- **s** Majority say they used the drugs to relieve pain. Other major reasons for taking them:
 - s 20% 'for fun or get high"
 - s 14% "to deal with day-to-day stress"
 - **s** 10% "to relax or relieve tension"



Survey of Long-Term Painkiller Users

s Other Findings:

- **s** 34% admit being dependent or addicted.
- § 17% have taken painkillers that were not specifically prescribed for them.
- **§** 14% have given their painkillers to a family member or friend.
- **s** 20% know or suspect someone was using, taking or selling their painkillers.





1. Which country, per million population, has the largest amount of drug induced deaths ages 15-64?

A. Sweden
B. Germany
C. United States
D. Russia
E. China





2. Where does Indiana rate in the United States in the amount of hydrocodone dispensed?

A. 15th
B. 48th
C. 6th
D. 1st





3. What percentage of the world's hydrocodone production does the United States consume?

A. Less than 10%
B. 34%
C. 50%
D. More than 70%





4. What is the most misused prescription controlled substance pain reliever in the United States?

A. OxycodoneB. MorphineC. HydrocodoneD. Codeine





5. What percent of heroin users began their addictions with prescribed pain relievers?

A. 15%
B. 40%
C. 75%
D. 90%
E. 99%



Thank-you for your time and attention !

