



The United States Department of Justice
Drug Enforcement Administration



*Controlled Substance and
Legend Drug Diversion;
A Law Enforcement and Regulatory Perspective*

Wisconsin Pharmacy Diversion Awareness Conference
National Association of Boards of Pharmacy (NABP)
Wisconsin Pharmacy Examining Board
Drug Enforcement Administration

Department of Health and Human Services – Office of Inspector General

**Hyatt Regency Hotel
Milwaukee, Wisconsin
July 25/26, 2015**


Joseph Rannazzisi
Deputy Assistant Administrator
Office of Diversion Control

PDAC MAP

June 10, 2015

Completed PDACs

	Attendance
FY-2011	
1-Cincinnati, OH 9/17-18/11	75
FY-2011 Total Attendance	75
FY-2012	
2-WPB, FL 3/17-18/12	1,192
3-Atlanta, GA 6/2-3/12	328
4-Houston, TX 9/8-9/12	518
5-Long Island, NY 9/15-16/12	391
FY-2012 Total Attendance	2,429
FY-2013	
6-Indianapolis, IN 12/8-9/12	137
7-Albuquerque, NM 3/2-3/13	284
8-Detroit, MI 5/4-5/13	643
9-Chicago, IL 6/22-23/13	321
10-Portland, OR 7/13-14/13	242
11-Baton Rouge, LA 8/3-4/13	259
12A-San Diego, CA 8/16-17/13	353
12B-San Jose, CA 8/18-19/13	434
13-Boston, MA 9/21-22/13	275
FY-2013 Total Attendance	2,948
FY-2014	
14-Louisville, KY 11/16-17/13	149
15-Charlotte, NC 2/8-9/14	513
16-Knoxville, TN 3/22-23/14	246
17-St. Louis, MO 4/5-6/14	224
18-Philadelphia, PA 7/12-13/14	276
19-Denver, CO 8/2-3/14	174
20-SLC, UT 8/23-24/14	355
21-Phoenix, AZ 9/13-14/14	259
FY-2014 Total Attendance	2,196
FY-2015	
22-Las Vegas, NV 2/7-8/15	193
23-Birmingham, AL 3/28-29/15	296
24-Norfolk, VA 5/30-31/15	410
Total Attendance To Date	8,547



Proposed FY-2015 PDACs
 25-Oklahoma City, OK June 27-28, 2015
 26-Milwaukee, WI July 25-26, 2015
 27-Seattle, WA August 8-9, 2015
 28-Portland, ME September 12-13, 2015

Postponed FY-2015 PDAC
 Rapid City, SD

- Completed PDACs
- Proposed PDACs
- Postponed PDACs



Disclosure Statement

I have no financial relationships to disclose

and

I will not discuss off-label use and/or
investigational drug use in my presentation



Goals and Objectives

- Background of prescription drug and opioid use and abuse – scope of the problem and potential solutions
- Identify and discuss the pharmacology of commonly diverted and abused pharmaceuticals
- Identify methods of pharmaceutical diversion and discuss how the pharmacist can prevent diversion in the retail setting
- Discuss the pharmacist and corresponding responsibility
- Discuss disposal regulations



Questions to Discuss

- According to the National Survey on Drug Use and Health (NSDUH), in 2013 there were 6.5 million persons aged 12 and older who used prescription-type psychotherapeutic drugs non-medically in the last month. Which class of pharmaceutical had the highest level of non-medical use?
- A) Stimulants
 - B) Sedatives
 - C) Pain relievers
 - D) Tranquilizers



Questions to Discuss

- According to the National Survey on Drug Use and Health (NSDUH), in 2013, participants identified the most frequent method of obtaining a prescription-type psychotherapeutic drug that they most recently non-medically used as:
 - A) Internet
 - B) From a friend or relative for free
 - C) Purchased from a friend or relative
 - D) Purchased from stranger/drug dealer



Questions to Discuss

- In determining whether a prescription is valid, a pharmacist is only required to 1) call the prescribing practitioner to verify that he/she authorized the prescription and 2) check to see if he/she has a valid and current DEA registration prior to dispensing the controlled substance;
- A) True
- B) False



Questions to Discuss

True or False...

For a controlled substance prescription to be effective, it must be, “issued for a legitimate medical purpose by an individual practitioner acting in the usual course of professional practice.”

- A) True
- B) False



Questions to Discuss

- Which of the following statements is false concerning regulations promulgated under the Secure and Responsible Drug Disposal Act of 2010:
- A) Regulations do not limit the ways ultimate users may dispose of pharmaceutical controlled substances – **they expand them.**
 - B) Any method of pharmaceutical disposal that was valid prior to these regulations continues to be valid.
 - C) Any DEA registrant may participate as an authorized collector of pharmaceutical controlled substances.
 - D) DEA may not require any person to establish or operate a disposal program.



Questions to Discuss

- What combination of drugs is referred to as the “trinity”?
 - A) Hydrocodone, alprazolam, and carisoprodol
 - B) Promethazine with codeine, methylphenidate and carisoprodol
 - C) Hydromorphone, carisoprodol and buprenorphine
 - D) Methadone, diazepam and tramadol



Responding to America's Prescription Drug Abuse Crisis

“When Two Addictions Collide”

Pharmaceuticals

Money - Greed



Primum non nocere



Prescription Drug Abuse
is driven by

Indiscriminate Prescribing
Criminal Activity



What is the Societal Damage of Prescription Controlled Substance and Legend Drug Abuse?



Consequences

In 2011, approximately 41,340 unintentional drug overdose deaths occurred in the United States, one death every 12.45 minutes.
(increased for 12th consecutive year)¹

Of this number, 22,810 deaths were attributed to Prescription Drugs
(16,917 attributed to opioid overdoses/ (74.165%).

Prescription drug abuse is the fastest growing drug problem in the United States.

¹SOURCE: CDC National Center for Health Statistics/National Vital Statistics Report; June 2014
CDC Vital Signs: Opioid Painkiller Prescribing; July 2014



2012 Current Users (Past Month) 2013

ANY ILLICIT DRUG:
23.9 million

MARIJUANA: 18.9 million

PSYCHOTHERAPEUTIC
DRUGS: 6.8 million

COCAINE: 1.6 million

Methamphetamine 440,000

Heroin: 335,000

ANY ILLICIT DRUG:
24.6 million


MARIJUANA: 19.8 million

PSYCHOTHERAPEUTIC
DRUGS: 6.5 million

COCAINE: 1.5 million

Methamphetamine 595,000

Heroin: 289,000





Prescription Drug Abuse


More Americans abuse prescription drugs than the number of:

Cocaine, Hallucinogen, Heroin, and Inhalant abusers

COMBINED!!!




Scope and Extent of Problem: Past Month Illicit Drug Use among Persons Aged 12 or Older



Source: 2004, 2007, 2008, 2009, 2010, 2011, 2012 National Survey on Drug Use and Health




Percentage of Past Month Nonmedical Use of Psychotherapeutics by Age, 2003-2012






Drug Overdose Mortality Rates per 100,000 People 1999



Source: Trust for America's Health, www.healthyamericans.org. "Prescription Drug Abuse: Strategies to Stop the Epidemic (2013)"




Drug Overdose Mortality Rates per 100,000 People 2010





Poisoning Deaths: Opioid Analgesics

Poisoning Deaths





Naloxone



Naloxone Hydrochloride - Narcan

NARCAN (naloxone) is indicated for the complete or partial reversal of opioid depression, including respiratory depression, induced by natural and synthetic opioids, including propoxyphene, methadone and certain mixed agonist-antagonist analgesics: nalbuphine, pentazocine, butorphanol, and cyclazocine. NARCAN (naloxone) is also indicated for diagnosis of suspected or known acute opioid overdose.





Naloxone Hydrochloride - Narcan

NJ.com

Woodbridge police officer saves 2 overdose victims in 5 days using Narcan



An officer in Ocean County demonstrates a naloxone nasal atomizer. (Ocean County Prosecutor's Office)

By Anthony G. Attino | NJ Advance Media for NJ.com
on January 28, 2015 at 9:22 AM, updated January 28, 2015 at 11:08 AM

WOODBIDGE – A township police officer who had just undergone training in the use of Narcan saved the lives of two overdose victims over five days, according to police. “The timing could not have been better,” said Woodbridge police Capt. Roy Hoppock.

Narcan, also known as nasal naloxone, is an opioid-reversal drug **recently approved for use by law enforcement** to help save heroin and opioid users from death by overdose.

The first incident in Woodbridge occurred about 8:45 p.m. on Jan. 21 when police received a 911 call about a 25-year-old woman who had overdosed on narcotics in a home in the Colonia section.

“One officer immediately administered Nasal Naloxone (Narcan) to the victim,” Hoppock said in a statement. “Almost immediately the victim showed signs of regaining consciousness.”

Hoppock identified the officer as Patrolman Christopher McClay. Hoppock said McClay had received training in the use of Narcan just two hours before the 911 call.

At 2:43 a.m. on Jan. 25, police received a 911 call about an unconscious person in a business parking lot in the Iselin section. “As officers arrived, they observed the victim, a male age unknown breathing, but unconscious,” Hoppock said.



The same officer who participated in the Jan. 21 call, McClay, administered Narcan to the victim, Hoppock said. “The victim appeared to regain consciousness,” Hoppock said. “At that point EMS arrived and the victim was transported to JFK Hospital. Hoppock said the Woodbridge Police Department is now in the process of training all patrol officers in the use of Narcan.

The drug has been used by paramedics and emergency room doctors for years. Only recently has it been given to police officers, who are often the first on the scene of drug overdoses.


According to the state Attorney General’s Office, there were 741 heroin-related deaths in New Jersey in 2013, a 160 percent increase since 2010.



Agonist vs. Antagonist



Opioid Displacement



- Naloxone displaces the opioid from the receptor
- Dependent on mode of administration onset can be apparent within a few minutes



Statistical Perspective

The U.S. Population Grows at a Rate of
Less Than 1% Per Year!



Why are these statistics outpacing population growth?

We all want to feel good and prescription drug use/abuse is an accepted method of curing whatever ails you. There is a pill for everything and medication use is encouraged in society. Our children are following our lead.



Pharmaceutical Abuse

Wrestler Benoit's doctor gets 10 years in prison

Updated 5/12/2009 2:34 PM | [Comment](#) | [Recommend](#)

[E-mail](#) | [Print](#) |



[Enlarge](#)

WWE via AP

NEWNAN, Ga. (AP) — The personal doctor to a professional wrestler who killed himself, his wife and their 7-year-old son was sentenced to 10 years in prison Tuesday for illegally distributing prescription drugs to patients.

Dr. Phil Astin, 54, had pleaded guilty Jan. 29 to a 175-count federal indictment.

Prosecutors said Astin prescribed painkillers and other drugs to known addicts for years. They said at least two of Astin's patients died because of his lax oversight of what medicines they were taking. However, the indictment was unclear about whether Chris Benoit, a wrestler for Stamford, Conn.-based World Wrestling Entertainment, was one of the two.

"I take full responsibility," Astin told the judge Tuesday. "I am sorry I hurt so many lives. I was thinking that I was looking after my patients."

U.S. District Judge Jack Camp said there was no doubt Astin tried to help hundreds of patients at his western Georgia clinic. But the judge said he could not overlook Astin's misconduct.

"The fact that two people did die outweighs other conditions

Share

[Add to Mixx](#)

[Facebook](#)

[Twitter](#)

[More](#)

Subscribe

[myYahoo](#)

[iGoogle](#)

[More](#)

U.S. District Judge Jack Camp said he could not overlook the misconduct

Rush Limbaugh Arrested On Drug Charges

Rush Limbaugh and prosecutors in the long-running prescription fraud case against him have reached a deal with a conservative commentator to be dropped without a guilty plea if he continues treatment, his attorney said Friday.

Limbaugh turned himself in to authorities on a warrant filed Friday charging him with fraud to conceal informant Barbara Barbera, a spokeswoman for the Palm Beach County Jail. He and his attorney Roy Black left about an hour and fingerprinted and he posted \$3,000 bail, Barbera said.

Prosecutors' three-year investigation of Limbaugh began after he publicly acknowledged being addicted to a rehabilitation program. They accused Limbaugh of "doctor shopping," or illegally deceiving multiple doctors by learning that he received about 2,000 painkillers, prescribed by four doctors in six months, at a pharmacy near his home.

Limbaugh, who pleaded not guilty Friday, has steadfastly denied doctor shopping. Black said the charge will comply with court guidelines.

Coheed and Cambria Bassist Arrested Before Gig

Originally posted Jul 10th 2011 5:18 PM PDT by TMZ Staff

Michael Todd, the bassist for the band **Coheed and Cambria**, was arrested for armed robbery after he allegedly held up a Walgreens by claiming he had a bomb ... and this all went down right before they played a show!

Rangers' Boogaard died of alcohol, oxycodone mix

Updated 5/20/2011 11:09 PM |

MINNEAPOLIS (AP) — The death of New York Rangers enforcer **Derek Boogaard** was an accident, due to a toxic mix of alcohol and the powerful painkiller oxycodone.

The Hennepin County Medical Examiner announced Boogaard's cause of death Friday, saying it was unclear exactly when the 28-year-old died. Boogaard was found

his passion for the game, his teammates, and his community work was unstoppable."

Experts say mixing alcohol and medicines can cause dangerous reactions. Drinking alcohol while taking strong painkillers like oxycodone can result in breathing problems and increase the risk of an overdose, according to the National Institute on Alcohol Abuse and Alcoholism.

The family thanked the Rangers, Minnesota Wild, the NHL and the NHLPA for "supporting Derek's continued efforts in his battle."

"Regardless of the cause, Derek's passing is a tragedy," NHL spokesman Frank Brown said in an email. The Rangers and Wild had no comment.

Jack Camp, Senior Federal Judge, Arrested On Drug, Gun Charges

ATLANTA — A veteran federal judge faces drug and firearms charges after an exotic dancer at an Atlanta strip club told authorities he used cocaine, marijuana and other illegal drugs with her.

Senior U.S. District Judge Jack T. Camp was arrested Friday minutes after he handed an undercover law enforcement agent \$160 for cocaine and Roxycodone, a narcotic pain medication, that he intended to use with the exotic dancer, authorities said in a court document released Monday. They said they also found two firearms in the front seat of his vehicle.

Camp, 67, who has presided over some high-profile cases, was released Monday on a \$50,000 bond. His attorney, William Morrison, said after a brief hearing that the judge intends to plead not guilty. Morrison said Camp would probably take a leave of absence and would not preside over any more cases until the charges are resolved.

William Morrison, said after a brief hearing that the judge intends to plead not guilty. Morrison said Camp would probably take a leave of absence and would not preside over any more cases until the charges are resolved.



DEATHS



Violence



Armed Robbery

- Keep calm – Do as directed
- Do not challenge the bad actor – give him what he wants
- Let him leave the store without any intervention.
- As soon as he clears the store lock the door, call 911 and check on your customers/patients
- Write down any observations (clothing, height, weight, distinguishing features) while it is fresh in your mind
- Armed Robbery is an act of desperation. No amount of drug loss is worth your life or the life of your patients



Violence Related to Controlled Substance Pharmaceuticals

ASSASSIN



Ready for mayhem, the lunatic strolls through the door.



Gun in his right hand, he walks coolly through an aisle.



He pulls his cap over his face as he leaves the store.



Now a mass murderer, he walks out into the sunlight.

Chilling anatomy of drugstore massacre

He never gave them a chance. The coldblooded killer who massacred four people in a Long Island pharmacy methodically shot each victim, shocking, step-by-step surveillance footage of the slaughter revealed yesterday.

PAGES 4-5

DRUGSTORE MASSACRE



Husband and wife busted in Rx-slay horror



PAIN KILLER

David Laffer is the man caught on video wearing a fake beard (top) who slaughtered four people in a pharmacy to feed his wife Melinda's addiction, cops said yesterday.

PAGES 4-5

33 comments

Slain Lansing Rite Aid pharmacist, father of toddler may not have known attacker



Michael Nana Baffour Addo was a well-liked pharmacist at Rite Aid in the Frandor Shopping Center in Lansing. (Courtesy photo)



By [Melissa Anders](#) | manders@mlive.com

[Follow on Twitter](#)

on May 13, 2014 at 4:14 PM, updated May 14, 2014 at 5:38 PM

[Print](#)

[Tweet](#)

[2.7k](#)

[Like](#)

LANSING — Michael Addo, known as a friendly Rite Aid pharmacist with a "million dollar smile," had a toddler and wife in Ghana, where he hoped

RITE AID AND EAST LANSING SHOOTING CASE

Do you know a WWII vet?



Michigan has 39,000 living WWII veterans -- help us find them

[Read more about the project](#)

Source:
http://www.mlive.com/lansing-news/index.ssf/2014/05/michael_addo_rite_aid_frandor.html

[HOME](#) » [NEWS](#)

Pharmacist slain in Beach robbery was much beloved

[+](#) Share 829 [f](#) 777 [t](#) 34 [in](#) 18 [p](#) 0 [g+](#) 2



By Stacy Parker
The Virginian-Pilot
© April 15, 2014

VIRGINIA BEACH

When pharmacist David Kilgore left Rite Aid three-plus years ago, customers transferred their prescriptions to his new, small independent business.

They admired the way he connected with them on a personal level.

Monday, they placed flowers at his pharmacy's doorstep after learning the 46-year-old was shot during a morning robbery and later died.

"It was always, 'Hey Pete, how you doing?' " said Peter Carlson, who dropped off a colorful bouquet at Beach Pharmacy on Monday evening.

Related: [Suspect identified, charged with murder](#)

The pharmacist was working at Rite Aid on Laskin Road near the Oceanfront when development



1 OF 10 PHOTOS: Shannon Rogers lays flowers near the store on Monday, April 14, 2014. Rogers said she just met the store's owner, David Kilgore, this weekend. Rogers, who called Kilgore "awesome," said he let her park her car at the store so she could spend a day at the beach. Police said Kilgore died after an attempted robbery in his drugstore Monday morning. (Brian J. Clark | The Virginian-Pilot)

[View all 10 photos](#) | [Buy Pilot photos](#)

David Kilgore



The Kroger Co. Family of Stores

Find valuable coupons, savings and more! [>](#)

PilotOnline.com
DAILY DEAL
50% DISCOUNT
BUY NOW FOR \$10 **A \$20 VALUE**
And Get \$20 Worth of Tasty Food at Ocean House Waterfront Dining!

[Daily Deal](#) | [Promote your business](#)


Source:

<http://hamptonroads.com/2014/04/pharmacist-slain-beach-robbery-was-much-beloved>



Burden on the health care delivery system

Opioid overdoses in the ED: Visits by region, inpatient costs



Note: Based on data from the 2010 Nationwide Emergency Department Sample.

Source: JAMA Intern. Med. 2014 Oct. 27 (doi:10.1001/jamainternmed2014.5413)



Prescription drug
epidemic?
How did we get to this
point?



Laudanum is no more dangerous than many of the preparations sold as soothing syrups; it has the saving grace of the "poison" label. (By courtesy of the Committee on Interstate and Foreign Commerce.)

LAUDANUM. -- Poison

EACH FLUID OUNCE CONTAINS
45 1/2 GRAINS OPIUM and 65% ALCOHOL

	-DOSE:-	
	3 mo. old, 1 drop	10 yrs. old, 10 drops
	1 yr. old, 3 drops	20 yrs. old, 20 drops
	4 yrs. old, 5 drops	Adult, 25 drops

C. W. Malcolm, Qualified Chemist
Memphis, TENN.





**BAYER
PHARMACEUTICAL
PRODUCTS.**

Send for samples
and Literature to

ASPIRIN
The substitute for the salicylates

ARISTOL
The anesthetic and analgesic

PROTARGOL
The anti-gonorrheal

PIPERAZINE
The anesthetic

EUROPHEN
The perfect analgesic

CREOSOTE CARB.
The most effective antiseptic

QUINALGEN
The anti-malarial

GUAIACOL CARB.
The most effective antiseptic

HEROIN-HYDROCHL.
The substitute for opium

HEROIN
The sedative for coughs

LYCETOL
The uric acid solvent

FERRO-SOMATOSE
The most effective iron

SOMATOSE
The most effective antiseptic

HEMICRANIN
The specific for measles

SULFONAL
The soluble antiseptic

PHENACETIN
The perfect analgesic

IODOTHYRINE
The active principle of the thyroid

SYCOSE
The substitute for cane sugar

SALOPHEN
The antirheumatic and antineuralgic

TRIONAL
The perfect hypnotic

**FARBENFABRIKEN OF
ELBERFELD CO.**

**40 STONE STREET,
NEW YORK.**

**COCAINE
TOOTHACHE DROPS**

Instantaneous Cure!
PRICE 15 CENTS.

Prepared by the
LLOYD MANUFACTURING CO.

218 HUDSON AVE., ALBANY, N. Y.

For sale by all Druggists.

(Registered March 1885.)

4

ADVERTISEMENTS.

For Body and Brain

Since 30 Years all Eminent Physicians recommend

**VIN
MARIANI**

Over 7,000 written endorsements from prominent Physicians in Europe and America

Nourishes
Fortifies
Refreshes
Strengthens the Entire System

Most popularly used Tonic-Stimulant in Hospitals, Public & Religious Institutions Everywhere

The most Agreeable, Effective and Lasting Tonic

Ask for Vin Mariani at Druggists and Fancy Grocers

EVERY Test, strictly on its Own Merits, proves its Exceptional Reputation

To avoid disappointments accept no substitutes

Free Offer! We will mail, gratis, 75 Portraits, Sketches, Biographical Notes and Autographs of Celebrities, testifying to excellence of "Vin Mariani!"

Paris: 41 Boulevard Haussmann
London: 239 Oxford Street

Mariani & Co.
52 W. 15th St., New York





The 1960s/70s/80s



“Ts and Blues”



Uppers - Amphetamines

Quaalude



Downers - Barbiturates

Hydromorphone



Meprobamate

Oxycodone/APAP

“Fours and Doors”



10 mg



20 mg



40 mg



80 mg



160 mg



OxyContin® Tablets
(oxycodone hydrochloride controlled-release)

The 1990s



Inadequate Pain Control

ADDICTION RARE IN PATIENTS TREATED WITH NARCOTICS

To the Editor: Recently, we examined our current files to determine the incidence of narcotic addiction in 39,946 hospitalized medical patients¹ who were monitored consecutively. Although there were 11,882 patients who received at least one narcotic preparation, there were only four cases of reasonably well documented

We conclude that despite widespread use of narcotic drugs in hospitals, the development of addiction is rare in medical patients with no history of addiction.

Waltham, MA 02154

Boston University Medical Center

1. Jick H, Mietinen OS, Shapiro S, Lewis GP, Siskind Y, Slone D. Comprehensive drug surveillance. *JAMA*. 1970; 213:1455-60.
2. Miller RR, Jick H. Clinical effects of meperidine in hospitalized medical patients. *J Clin Pharmacol*. 1978; 18:180-8.





The Fifth Vital Sign?

1. Temperature
2. Heart Rate
3. Blood Pressure
4. Respiration
5. Pain?

Pain Scale

Wong-Baker FACES Pain Rating Scale



<p>No Pain Sin dolor Không Đau Tsis Mob Отсутствие боли</p>	<p>Mild Pain Dolor leve Hơi Đau Mob Me Ntsis Слабая боль</p>	<p>Moderate Pain Dolor moderado Đau Vừa Phải Mob Hauj Sim Умеренная боль</p>	<p>Severe Pain Dolor agudo Rất Đau Mob Heev Сильная боль</p>	<p>← English ← Spanish ← Vietnamese ← Hmong ← Russian</p>
--	---	---	---	---

From Hockenberry MJ, Wilson D: *Wongs Essentials of Pediatric Nursing*, ed. 8, St. Louis, 2009, Mosby. Used with permission. Copyright Mosby.

Contact: Amy Jenkins
amy@jenkinspublicrelations.com
312-836-0613
American Academy of Pain Medicine

Experts call for balance in addressing under treated pain and drug abuse

Healthcare decisions must remain in the hands of healthcare professionals for the sake of patients

A balance must be struck between physicians' responsibility to treat chronic pain and the Drug Enforcement Administration's (DEA) duty to combat drug abuse, according to a series of seven commentaries by national thoughtleaders published today in the February issue of Pain Medicine.

The commentaries explore the current state of the use of pain medicine from a variety of perspectives, with an emphasis on the tension between physicians treating legitimate pain and the DEA. Pain Medicine is the journal of the American Academy of Pain Medicine (AAPM).

According to the American Pain Foundation, chronic pain affects more than 50 million Americans. People suffering from chronic pain may need pain medicine to lead normal lives, such as being able to work and to participate in family life. Many patients with chronic pain have lost access to appropriate medical care due to tension between regulatory/legislative bodies and the medical community.

The lead commentary describing current DEA policy on pain care with controlled substances was written by Howard A. Heit, MD, a pain and addiction medicine specialist who has collaborated with the DEA. AAPM President Scott M. Fishman, MD, presents a collision of the war on drugs with efforts to improve pain care. Jennifer Bolen, JD, Former Assistant US Attorney with the United States Department of Justice, makes a compelling case that current DEA policies are founded on erroneous and inappropriate positions. Edward Covington, MD, Steven Passik, PhD, and Ben A. Rich, JD, PhD, add additional dimensions to the current perceived state of imbalance, while Will Rowe, Executive Director of the American Pain Foundation, a patient advocacy organization provides perspective on patient's rights.

Victories and Defeats in Pain Care

Dr. Heit and others worked with the DEA to develop the August 2004 Frequently Asked Questions and Answers for Health Care Professionals and Law Enforcement Personnel, which the DEA subsequently disavowed causing "confusion and consternation" among physicians who treat pain.

"It is now apparent to me that the spirit of cooperation that existed between the DEA and the pain community to achieve the goal of balance has broken down. The DEA seems to have ignored the input and needs of the healthcare professionals and pain patients who actually prescribe, dispense and use controlled substances," Dr. Heit states in his commentary.

"It is essential that we resume dialogue between the DEA and healthcare professions for the benefit of our patients and society," continues Dr. Heit. "The DEA and the healthcare professionals treating pain both have an important job to do in ensuring that those who need [controlled substances] for pain receive them while preventing misuse and diversion. Only through dialogue based on and mutual trust and respect can this balance be restored."

Other government initiatives have challenged the line between health policy and law enforcement. This includes Congress's empowerment of the DEA allowing the agency authority in reviewing new drugs, a role previously held only by the Food and Drug Administration, according to Dr. Fishman. On Nov. 4, 2005, Congress reversed itself and rescinded the DEA's new authority.

As healthcare's regulatory authority shifts from health agencies to law enforcement agencies, the DEA and Federal prosecutors have used the courts to bypass state medical boards when scrutinizing physician practices. Dr. Fishman says that the recently passed national law, National All Schedules Prescription Electronic Reporting Act (NASPER), which institutes a national prescription monitoring program, may offer some steps forward, but it also carries the potential to impede optimal prescribing and could even perpetuate aberrant prescribing that may facilitate abuse. While this new law is presented to the public as a clinical tool to improve patient care and safety, "...profound inadequacies suggest that this law may be intended less as a clinical tool than as a physician mouse trap," Dr. Fishman states.

"Healthcare decisions, including those involving legitimate use of analgesics, must remain in the hands of healthcare professionals," comments Dr. Fishman. "The DEA should be required to work with health agencies and healthcare professionals in finding common ground and reaching the rational position of balance that is in the public's best interest...Healthcare oversight must remain within agencies whose primary responsibility is to improve public health. Continue to insist that drug abuse can be curbed without undermining patients in pain and striving for such policies is in the best interest of society. The least we can do is to make sure that the casualties legitimately deserve relief."

Freedom to Care for Pain Patients Critical

Reluctance to prescribe powerful pain medicine among the medical community for fear of retribution has led to the needless suffering of countless people in pain.

The Department of Justice must "stop the abuse and diversion of prescription medicines without harming access to these medicines for people affected by pain," states Will Rowe, Executive Director, American Pain Foundation. Rowe's commentary points to a failure on the part of the DEA in not abiding by its commitment to the pain community to pursue a balance between the war on drugs and the rights of pain patients, and also cites the more comprehensive command."


###

About the American Academy of Pain Medicine

Founded in 1983 as the American Academy of Algology, the American Academy of Pain Medicine (AAPM) has evolved as the primary organization for physicians practicing the specialty of Pain Medicine in the United States. A defined body of knowledge and scope of practice have emerged, and today, Pain Medicine is recognized as a discrete specialty by the American Medical Association (AMA). AAPM is the only national organization of pain medicine specialists. The journal Pain Medicine is published six times a year by Blackwell Science, Inc. For more information, visit www.painmed.org.

About the American Pain Foundation

Founded in 1997, the American Pain Foundation is an independent nonprofit 501(c)3 organization serving people with pain through information, advocacy, and support. Our mission is to improve the quality of life for people with pain, increase awareness, providing practical information, promoting research, and advocating to remove barriers and increase access to effective pain management. For more information, visit www.painfoundation.org.



McAfee
Risky Connection Blocked
 McAfee has blocked your PC from making a potentially risky connection.
About This Connection
 IP Address: 72.21.194.32
 Program: Internet Explorer
[More](#) ▾
 Do not show

Contact: Amy Jenkins
amy@jenkinspublicrelations.com
312-836-0613
American Academy of Pain Medicine

Experts call for balance in addressing under treated pain and drug abuse

Healthcare decisions must remain in the hands of healthcare professionals for the sake of patients

A balance must be struck between physicians' responsibility to treat chronic pain and the Drug Enforcement Administration's (DEA) duty to combat drug abuse, according to a series of seven commentaries by national thoughtleaders published today in the February issue of Pain Medicine.

The commentaries explore the current state of the use of pain medicine from a variety of perspectives, with an emphasis on the tension between physicians treating legitimate pain and the DEA. Pain Medicine is the journal of the American Academy of Pain Medicine (AAPM).

According to the American Pain Foundation, chronic pain affects more than 50 million Americans. People suffering from chronic pain may need pain medicine to lead normal lives, such as being able to work and to participate in family life. Many patients with chronic pain have lost access to appropriate medical care due to tension between regulatory/legislative bodies and the medical community.

The lead commentary describing current DEA policy on pain care with controlled substances was written by Howard A. Heit, MD, a pain and addiction medicine specialist who has collaborated with the DEA. AAPM President Scott M. Fishman, MD, presented a compelling case that current DEA policies are founded on erroneous and inappropriate positions. Edward Covington, MD, Steven Passik, PhD, and Ben A. Rich, JD, PhD, add additional dimensions to the current perceived state of imbalance, while Will Rowe, Executive Director of the American Pain Foundation, a patient advocacy organization, emphasizes the need for balance on patients' behalf.

Victims and Injustice in Chronic Pain
Dr. Heit and others worked with the DEA to develop the August 2004 guidance. Heit, a former Assistant US Attorney with the United States Department of Justice, makes a compelling case that current DEA policies are founded on erroneous and inappropriate positions. Edward Covington, MD, Steven Passik, PhD, and Ben A. Rich, JD, PhD, add additional dimensions to the current perceived state of imbalance, while Will Rowe, Executive Director of the American Pain Foundation, a patient advocacy organization, emphasizes the need for balance on patients' behalf.

"It is now apparent to me that the spirit of cooperation that existed between the DEA and the pain community to achieve the goal of balance has broken down. The DEA seems to have ignored the input and needs of the healthcare professionals and pain patients who actually prescribe, dispense and use controlled substances," Dr. Heit states in his commentary.

"It is essential that we resume dialogue between the DEA and healthcare professions for the benefit of our patients and society," continues Dr. Heit. "The DEA and the healthcare professionals treating pain both have an important job to do in ensuring that patients who need [controlled substances] for pain receive them while preventing misuse and diversion. Only through dialogue based on and mutual trust and respect can this balance be restored."

Other government initiatives have challenged the line between health policy and law enforcement. This includes Congress's empowerment of the DEA allowing the agency authority in reviewing new drugs, a role previously held only by the Food and Drug Administration, according to Dr. Fishman. On Nov. 4, 2005, Congress reversed itself and rescinded the DEA's new authority.

As healthcare's regulatory authority shifts from health agencies to law enforcement agencies, the DEA and Federal prosecutors have used the courts to bypass state medical boards when scrutinizing physician practices. Dr. Fishman says that the recent passage of national law, National All Schedules Prescription Electronic Reporting Act (NASPER), which institutes a national prescription monitoring program, may offer some steps forward, but it also carries the potential to impede optimal prescribing and could even perpetuate aberrant prescribing that may facilitate abuse. While this new law is presented to the public as a clinical tool to improve patient care and safety, "...profound inadequacies suggest that this law may be intended less as a clinical tool than as a physician mouse trap," Dr. Fishman states.

"Healthcare decisions, including those involving legitimate use of analgesics, must remain in the hands of healthcare professionals," comments Dr. Fishman. "The DEA should be required to work with health agencies and healthcare professionals in finding common ground and reaching the rational position of balance that is in the public's best interest...Healthcare oversight must remain within agencies whose primary responsibility is to improve public health. The DEA's role should be limited to ensuring that drug abuse can be curbed without undermining patients in pain and striving for such policies is in the best interest of society. The least we can do is to make sure that the casualties of the war on drugs legitimately deserve relief."

Freedom to Care for Pain Patients Critical

Reluctance to prescribe powerful pain medicine among the medical community for fear of retribution has led to the needless suffering of countless people in pain.

The Department of Justice must "stop the abuse and diversion of prescription medicines without harming access to these medicines for people affected by pain," states Will Rowe, Executive Director, American Pain Foundation. Rowe's commentary points to a failure on the part of the DEA in not abiding by its commitment to the pain community to pursue a balance between the war on drugs and the rights of pain patients, and also cites the more comprehensive command.


###

About the American Academy of Pain Medicine

Founded in 1983 as the American Academy of Algology, the American Academy of Pain Medicine (AAPM) has evolved as the primary organization for physicians practicing the specialty of Pain Medicine in the United States. Over the years, a defined body of knowledge and scope of practice have emerged, and today, Pain Medicine is recognized as a discrete specialty by the American Medical Association (AMA). AAPM is the only pain medicine specialty society with a national board of delegates. The journal Pain Medicine is published six times a year by Blackwell Science, Inc. For more information, visit www.painmed.org.

About the American Pain Foundation

Founded in 1997, the American Pain Foundation is an independent nonprofit 501(c)3 organization serving people with pain through information, advocacy, and support. Our mission is to improve the quality of life for people with pain through awareness, providing practical information, promoting research, and advocating to remove barriers and increase access to effective pain management. For more information, visit www.painfoundation.org.





 Risky Connection Blocked

McAfee has blocked your PC from making a potentially risky connection.

About This Connection
IP Address: 72.21.194.32
Program: Internet Explorer

[More >](#)

Do not show



Dollars for Doctors
How Industry Money Reaches Physicians

American Pain Foundation Shuts Down as Senators Launch Investigation of Prescription Narcotics



This article is part of an ongoing investigation.

Dollars for Doctors: How Industry Money Reaches Physicians

ProPublica is tracking the financial ties between doctors and medical companies.



Subscribe to the ProPublica Podcast

The ProPublica Podcast is a weekly program of interviews with reporters about our latest investigations.

LISTEN NOW

The Story So Far

ProPublica is investigating the financial ties



[For Immediate Release](#)

May 08, 2012

Contact: Communications Office (Baucus), 202-224-4515
Jill Gerber (Grassley), 202-224-6522

Baucus, Grassley Seek Answers about Opioid Manufacturers' Ties to Medical Groups

[Finance Leaders Investigate Whether Pharmaceutical Companies Encouraged Non-Profit Beneficiaries to Promote Misleading Information about Narcotic Painkillers](#)

Washington, DC – Senate Finance Committee Chairman Max Baucus (D-Mont.) and senior Committee member Chuck Grassley (R-Iowa) initiated an investigation today into the connections of drug manufacturers Purdue Pharma, Endo Pharmaceuticals, and Johnson & Johnson with medical groups and physicians who have advocated the increased use of narcotic painkillers, or opioids. The Senators also asked seven other medical groups to produce information about their financial ties and collaborations with opioid manufacturers. In letters sent to each yesterday, Baucus and Grassley requested documents and financial information from the companies and noted that deaths resulting from opioid overdoses have recently skyrocketed, growing nearly 400 percent between 1999 and 2008, the most recent year data was available. They also highlighted news reports suggesting the increase may be driven by misinformation and dubious marketing practices used by the pharmaceutical companies and the medical organizations they fund.

“Overdoses on narcotic painkillers have become an epidemic, and it’s becoming clear that patients aren’t getting a full and clear picture of the risks posed by their medications,” Baucus said. “When it comes to these highly-addictive painkillers, improper relationships between pharmaceutical

Related Files



[Baucus Grassley Opioid Investigation Letter to Purdue Pharma](#)
[288.2 KB]



[Baucus Grassley Opioid Investigation Letter to Federation of State Medical Boards](#)
[276.9 KB]



[Baucus Grassley Opioid Investigation Letter to the Joint Commission](#)
[278.4 KB]



[Baucus Grassley Opioid Investigation Letter to Wisconsin Pain And Policy Studies Group](#)
[277.5 KB]



[Baucus Grassley Opioid Investigation Letter to American Academy of Pain Medicine](#)
[277.6 KB]



[Baucus Grassley Opioid Investigation Letter to American](#)

Hot Topics: Readers strike back | Local home tours | Summer reading | Deer hunting

 search

Watchdog Reports

Home » Watchdog Online » Watchdog Reports

U.S. Senate panel launches investigation of painkillers, drug companies

By John Fauber of the Journal Sentinel

May 9, 2012



Got a story tip?
Email, call 414-224-2318 or use our tip form.

Meet the [Watchdog team](#)

“Recent investigative reporting from the Milwaukee Journal Sentinel/Medpage Today and ProPublica revealed extensive ties between companies that manufacture opioids and non-profit organizations such as the American Pain Foundation....and the Joint Commission.”

- State Medical Boards
- Letter to Johnson and Johnson
- Letter to Center for Practical Bioethics
- Letter to Endo Pharmaceuticals
- Letter to American Pain Foundation
- Letter to American Pain Society
- Letter to American Academy of Pain Medicine

Side Effects



"It is clear that the United States is suffering from an epidemic of accidental deaths and addiction resulting from increased use of powerful narcotic painkillers," said a joint statement from committee members U.S. Sens. Chuck Grassley (R-Iowa) and Max Baucus (D-Mont.).

The senators said there was growing evidence that drug companies have promoted misleading information about the safety and effectiveness of the drugs with help from nonprofits they have donated to.

"Recent investigative reporting from the Milwaukee Journal Sentinel/MedPage Today and ProPublica revealed extensive ties between companies that manufacture and market opioids and nonprofit organizations such as the American Pain Foundation, the American Pain Society, the American Academy of Pain Medicine, the Federation of State Medical Boards, the University of Wisconsin Pain and Policy Studies Group and the Joint Commission," Grassley and Baucus wrote.

In addition to the pain organizations, the committee also sought records from three leading drug companies: Purdue Pharma, Johnson & Johnson and Endo Pharmaceuticals. It also requested records from the Center for Practical Bioethics, a Kansas City, Mo., organization that has advocated for pain treatment.

The committee said it wants records dating back to 1997.

The letter notes that a February Journal Sentinel/MedPage Today story




Online Camp Fair 2012
Specialty Camps

TOP STORIES

- Employment debate requires closer look
- Warm winter reduced heating costs 24%
- Tracing the political dividing lines over Gov. Scott Walker
- Game Blog: Brewers at Diamondbacks

MORE WATCHDOG

advertisement



MEMORIAL DAY SALES



Posted on Fri, May. 11, 2012 11:22 PM

[Read more Front Page](#)

Share Email Print

Bioethics think tank's ties to pain pill industry studied

BY ALAN BAVLEY
The Kansas City Star

A U.S. Senate committee is examining a Kansas City-based bioethics think tank's financial ties to the pain-pill industry.

The inquiry is part of a sweeping investigation by the Senate Finance Committee of connections between pain drug manufacturers and organizations and physicians who have advocated for increased use of narcotic — also known as opioid — painkillers.

Abuse of these potentially addictive pain medications has become a national epidemic and accounts for more overdose deaths than heroin and cocaine combined. About 5 million people had used the drugs recently without a prescription, a federal survey found.

The Center for Practical Bioethics is one of seven organizations that received letters this week from the Senate committee asking them for information about their financial ties and collaborations with opioid manufacturers.

The other organizations are the American Pain Foundation, the American Academy of Pain Medicine, the American Pain Society, the Wisconsin Pain and Policy Study Group, the Joint Commission of Accreditation of Healthcare Organizations and the Federation of State Medical Boards.

Recent investigations by news organizations have found that some of these groups, such as the American Pain Foundation, a patient advocacy group, are funded largely by the drug industry.

The Senate committee is seeking to determine whether any of the groups promoted misleading information about the risks and benefits of opioids while receiving financial support from manufacturers of the drugs.

A Senate aide told The Kansas City Star that the investigation may bring into question guidelines for pain management, or the legitimacy of some of the organizations under scrutiny.

One of the organizations, the American Pain Foundation, disbanded last week, citing "irreparable economic circumstances."

Breaking News

Homers by Francoeur and Butler lift Royals to 4-2 victory over Orioles

La Crosse, Kan., is cleaning up after twister

No injuries but much damage in Columbia apartment fire

Franchitti wins 3rd Indy 500, gives nod to Wheldon

Former KC Chief charged with attempted murder

Man, 65, shoots motorcyclist in road rage incident

KansasCity.com

Web Search powered by YAHOO! SEARCH

Memorial Day Special
FRIDAY, SATURDAY & SUNDAY
\$279.00!
Includes Breakfast Buffet for 2
INN AT GRAND GLAIZE
Lake of the Ozarks - Osage Beach
CHECK OUT OUR SPECIALS - [CLICK HERE](#)

Tax, title, and dealer fees extra. Mileage charge of \$.20/mile over 24,000^{mi}

CURRENT OFFER
1 EPA estimated. * Visit [fuelconomy.gov](#) for details
Chevy Runs

THE SALVATION ARMY Family Stores **MEMORIAL DAY SALE**
50% All Clothing Fri, Sat and Sun

DEALSAVER'S™ DEAL OF THE DAY

\$5 for \$10 of Food and Beverage at Menotti's Taste of Italy in...




Now, Dr. Portenoy and other pain doctors who promoted the drugs say they erred by overstating the drugs' benefits and glossing over risks. "Did I teach about pain management, specifically about opioid therapy, in a way that reflects misinformation? Well, against the standards of 2012, I guess I did," Dr. Portenoy said in an interview with The Wall Street Journal. "We didn't know then what we know now."

A Pain-Drug Champion Has Second Thoughts

On the Rise

Kilograms of opioids sold, per 10,000 people



Source: National Vital Statistics

By THOMAS CATAN AND EVAN PEREZ

It has been his life's work. Now, Russell Portenoy appears to be having second thoughts.

Two decades ago, the prominent New York pain-care specialist drove a movement to help people with chronic pain. He campaigned to rehabilitate a group of painkillers derived from the opium poppy that were long shunned by physicians because of their addictiveness.

Dr. Portenoy's message was wildly successful. Today, drugs containing opioids like Vicodin, OxyContin and Percocet are among the most widely prescribed pharmaceuticals in America.

Opioids are also behind the country's deadliest drug epidemic. More than

16,500 people die of overdoses annually, more than all illegal drugs combined.

Now, Dr. Portenoy and other pain doctors who promoted the drugs say they erred by overstating the drugs' benefits and glossing over risks. "Did I teach about pain management, specifically about opioid therapy, in a way that reflects misinformation? Well, against the standards of 2012, I guess I did," Dr. Portenoy said in an interview with The Wall Street Journal. "We didn't know then what we know now."

Recent research suggests a significantly higher risk of addiction than previously thought, and questions whether opioids are effective against long-term chronic pain.

The change of heart among former champions of opioid use has happened

quietly, largely beyond the notice of many doctors. New York psychiatrist Joseph Carmody said he was "shocked" after attending a recent lecture outlining the latest findings on opioid risk.

"It goes in the face of everything you've learned," he said. "You saw other doctors come around to it and saying, 'Oh my God, what are we doing?'"

Because doctors feared they were dangerous and addictive, opioids were long reserved mainly for cancer patients. But Dr. Portenoy argued that they could be also safely be taken for months or years by people suffering from chronic pain. Among the assertions he and his followers made in the 1990s: Less than 1% of opioid users became addicted, the drugs

Please turn to page A12

Commonly Abused Controlled Pharmaceuticals

Carisoprodol



C-IV as of 1/11/2012

**CYCLOBENZAPRINE
(FLEXERIL)**



OxyContin 80mg
Oxycodone HCL ER



Oxymorphone



Hydrocodone



Oxycodone 30 mg



Xanax (Alprazolam)

Photo from the Physicians Desk Reference

Alprazolam



The Holy Trinity



Opiate



Muscle Relaxant



Benzodiazepine





Direct to Consumer Advertising



We will not arrest our way
out of this problem!!!!

Enforcement is just as important as...

Prevention/Education

Treatment



Drug Education

or not

Teen Prescription Drug Misuse & Abuse

- **23%** report having abused RX medications at least once in their lifetime.
- **31%** believe “it’s okay to use prescription drugs that were not prescribed to them to deal with an injury or pain, as long as they are not getting high.”
- **22%** say their parents don’t care as much if they are caught using RX drugs without a prescription, compared to getting caught with illegal drugs.



Education

➤ Children/Teens

Information from the Internet
or their peers

Following parents



Where do kids get their information from?

www.EROWID.org



Support accurate drug education with a donation to Erowid!



Donate via or
Paypal

or

via Credit Card

or

Join (or Renew) Membership



[Erowid Monthly](#) NEW
[What's New](#)
[Donations](#)
[Search](#)
[About](#)



EROWID

Documenting the Complex Relationship Between Humans & Psychoactives



[Plants & Drugs](#)
[Mind & Spirit](#)
[Freedom & Law](#)
[Arts & Culture](#)
[Library](#)



[Click to Browse using SSL Encryption](#)

Psychoactive Plants and Drugs

ALCOHOL	AYAHUASCA	CACTI	CAFFEINE	CANNABIS	COCAINE
DMT	DXM	GHB	HEROIN	KETAMINE	LSD
MDMA (ECSTASY)	MDPV	METH	MUSHROOMS	NITROUS	OXYCODONE
PEYOTE	SALVIA	TOBACCO	ZOLPIDEM	25I-NBOMe	MORE ...

[Donate to Erowid](#)

 [Follow Erowid](#)

Subscribe to the *Erowid Monthly*.

Basics

- [Dosage](#)
- [Effects](#)
- [FAQs](#)
- [Drug Testing](#)
- [History](#)
- [Slang](#)

Experiences

- [New Reports](#)
- [By Substance](#)

Law & Policy

- [By Substance](#)
- [Prohibition](#)
- [Federal & State Laws](#)
- [Policy & Reform](#)

Spiritual & Cultural Use

- [Spiritual Use](#)
- [Medicinal Use](#)
- [Cultural Use](#)
- [Families & Psychoactives](#)
- [Entheogens](#)
- [Humor](#)

Library

- [Bookstore](#)
- [Online Books](#)
- [Periodicals](#)
- [The Erowid Review](#)
- [Erowid Extracts](#)
- [TiHKAL / PiHKAL](#)

Images

- [Chemicals](#)
- [Pharmaceuticals](#)
- [Nootropics](#)
- [Plants](#)
- [Herbs](#)
- [Molecules](#)

Chemistry

- [By Substance](#)
- [Chem-Compare](#)

Health & Statistics

- [Health](#)
- [LD50s](#)
- [Addiction](#)
- [Statistics](#)

Community

- [Visionary Art](#)
- [Psychoactives Sites](#)
- [Calendar Events](#)
- [Character Vaults](#)
- [Non-English Resources](#)
- [Reciprocal Links / Vendors](#)

Miscellaneous

- [What's New](#)
- [Donations](#)
- [Submissions](#)
- [Ask Erowid](#)
- [Erowid Extracts](#)
- [Historical Snapshots](#)



If this is your first visit, be sure to check out the [FAQ](#).

You may have to **register** before you can post: click the register link above to proceed. To start viewing messages, select the forum that you want to visit from the selection below.

Features

- Bluelight Wiki
- Blogs
- Bluelight Mobile
- Staff List
- Twitter
- Our own Wiki project
- Blogs from our members
- Use Bluelight on the go!
- Contact our staff members
- Follow us on Twitter

Forums

- | | |
|-----------------|-----------------------|
| Focus Forums | Australia & Asia |
| Drug FAQs | Australian Drug |
| Ecstasy | Discussion |
| Discussion | Australian Social & |
| Cannabis | Events |
| Discussion | |
| Steroid | Europe & Africa |
| Discussion | European Drug |
| Psychedelic | Discussion |
| Drugs | European Events |
| Other Drugs | |
| | North America & South |
| Drug Discussion | America |
| Drug Studies | North & South |
| Drugs in the | American Social & |
| Media | Drug Discussion |
| Basic Drug | North & South |
| Discussion | American Events |
| Advanced Drug | |
| Discussion | Pillreports.com |
| The Dark Side | Pillreports |
| Trip Reports | Pillreports |
| Drug Culture | Discussion |
| | Pill Testing Q&A |

THE FRONT PAGE

Bluelight Remembers Ryan Haight, Launch of the Recovery forums

by Sebastians_ghost Published on 12-02-2013 06:44



Dear Bluelighters,

As some of you may remember, February 12th is the twelfth anniversary of the passing of one of our own. To most it will be remembered as the first day "Bluelight went black." To those of us who knew Ryan Haight (a.k.a Quicksilver) it is also the day we lost a friend.

The impact of Ryan's life and untimely death have echoed forward in the passage of the Ryan Haight Internet Pharmacy Consumer Protection Act of 2008, signed into law by President G.W. Bush in October of the same year. In honor of Ryan, Bluelight is proud to announce the launch of a new collection of forums designed to support sober living, a

jaystyle

Bluelighter



Join Date:	May 2010
Location:	San Francisco, CA
Posts:	258

10-09-2010 13:46

Ok--- so here is my current experiment status' so far.

- 1.) Milling / Grinding OP 80 - I have found the best way to crush OP80 with the use of a foot file / nail file. Hoseclamp did not work good. Using the file, I was able to get it to a powder around 20% thicker than the old OC.
- 2.) Experiment 1: Fail - My first experiment was to mill the OP80 and I left it overnight in a mixture of apple cider vinegar and lemon juice. 8-9 hours later, I drank it and received minimal if any effects except a horrible case of acid stomach. I suspect all the acid may have killed the alkaloids or something, or just failed to extract it completely.
- 3.) Experiment 2: Fail - Grinding up and parachuting - despite milling these OPs down, they still retain substantial time release. I found this to be a failure and it released the oxy slowly over the course of many hours.
- 4.) M.L.K - I read that if you put M.L.K drops (a popular, common solvent) in a spoon to saturate some milled OP 80, then let it evaporate, it dissolves the plastic and leaves a snortable powder that does not Gel. Many people report success with this, but I did not. Perhaps I did not use enough M.L.K or let it dissolve for long enough.

I posted this in the other thread, but I find this information useful and suggest you all read it here in case u missed it:

From the Purdue website, here is a summary of the info I found:
<http://www.fda.gov/ohrms/dockets/ac/...-05-Purdue.pdf>

Besides the obvious Simple, Medium, and Complex solvent thing that has everyone confused--- here is some information you guys should consider in ur investigations:

- 1.) At room temperature, using commonly found solvents, the best they could do was extracting 50% of the oxycodone for SHORT DURATION Shakign Extractions at room temperature.
- 2.) At room temperature with some less readily available solvents, extraction was as high as 70% during a "SHORT DURATION" shaking extraction at room temp.
- 3.) When we are dealing with EXTENDED extraction times at ROOM temperature--- some SIMPLE HOUSEHOLD solvents extracted up to 78% of the oxycodone! That might mean if we leave oxycodone soaked in acetone, M.E.K, or Ether for some time we can get almost 80% of the OC out. How long is an extended duration, I wonder? 1 hour, 2, hour, 4 hours-- shaking and stirring it. In the end, I woudl assume we would filter out the gunk, evaporate the solvent, and be left with pure oxycodone residue. The 22% or so that wasnt extracted would remain in the gunk we filter and we could eat them or something. There was one simple solvent they listed, however, that only got 2-9% out--- in otherwords destroying the alkaloid entirely. Not sure which one that is but maybe we can research solvents known to destroy oxycodone molecules. The Medium and Complex solvents all removed most of the oxycodone when leaving them at room temperature for extended periods of time.

5 mg alprazolam has done nothing

#1

looneytoon7

Greenlighter



Join Date: Jan 2014

Posts: 5

04-04-2014 14:14

Months ago, maybe even a year ago now, a friend introduced me to Xanax because we had been on a meth bender and sleeping had become impossible for me and I needed sleep bad. I took quarter of a 2 mg brick and it knocked me out and I loved it, the refreshing sleep. I've taken it around 10 times since then, every now and then when I really need to get to sleep and never more than 1-2 mg. So I definitely don't have a high tolerance to the stuff or anything.

I haven't had them for months now though. I had been smoking meth today and wanted to sleep. So well over 5 hours ago now, I took quarter of a 2 mg brick. 45 minutes later it hadn't done a thing, so I took another quarter. So I'd had 1 mg. Half an hour later, still nothing. Waited a bit then swallowed the other half of the brick, 2 mg still would do anything at all other than make me feel slightly relaxed. Swallowed another half a brick or 1 mg, waited 40 minutes, still nothing. Swallowed another whole brick, bringing the total dose up to 5 mg about half an hour ago and still I am wide awake.

They aren't fake Xanax. So wtf is up with this? 😞 a few days before this I was taking a couple 25mg seroquels per night for about a week if that make a difference, haven't had any for a few days though. Does anybody know wtf is up with this?

REPLY

QUOTE



#2

deerman

Greenlighter



Join Date: Apr 2014

Location: Dragoon Mountains

Posts: 18

04-04-2014 22:39

Xanax doesn't do anything of value for me, except make me pass out if I take too much.

Ativan on the other hand does wonders. Lorazepam is a highly effective benzo for putting one to sleep, in fact I have never heard of a doctor prescribing xanax for sleep, however it is common with lorazepam. Actually Xanax is downright destructive for sleep, do some research.

Perhaps your Xanax is old? Otherwise, join the club. Xanax fucking sucks for me. Ativan is the wonder benzo, not that I have a need for benzos anymore.

Maybe one should lay off the meth if they feel a need to take meds to go to sleep? How about a big hot meal with lots of vegetables and some chelated magnesium and lots of water? Get your body back in balance, meth will wreck your CNS if you aren't being a careful user.

If you insist on using a prescription medication to help come down off meth and get to sleep, I would use lorazepam or ambien. But you're just wreaking more havoc to your body by taking all those drugs...

Is there any way to get high off of just 5mg of hydrocodone?

#1

Hydromethomine

Bluelighter



Join Date: Mar 2014
Location: Ohio
Posts: 78

07-04-2014 22:40

I have only been up to 25mg, and it has worked plenty fine for me. 10 gives me a slightly euphoric feeling. Could I use a certain potentiator, or maybe use a certain method? I only have this one 5/500 pill left. Thanks.

REPLY QUOTE

#2

danolaa420

Greenlighter

Join Date: Mar 2014
Posts: 12

Yesterday 00:38

Crush it into fine powder and grab a pinch at a time and put it in ur rear end or put the powder in a capsle and stick it up should dissolve

REPLY QUOTE

#3

Hydromethomine

Bluelighter



Join Date: Mar 2014
Location: Ohio
Posts: 78

Yesterday 00:45

Would snorting help at all? I know some people have different reactions to snorting it. I know the acetaminophen isn't nice on the nose, but still.

CLOSED

Results 1 to 21 of 21

Thread Tools Search Thread Display

alprazolam info



#1

Dr. Deception

10-02-2014 02:48



Greenlighter



Join Date: Dec 2013

Location: New York

Posts: 24

ok so me and my friend have 8 0.25 mg alprazolam tablets now. i've been doing some research about this drug, but i still need to know more before we do them. some info about us im 5'5" and weigh 130lbs hes 6'1" i think and around 140-150 i believe. neither of us have any tolerance to this drug, but we're not newbies to drugs. we've both used cannabis, hydrocodone, alcohol, and we've dabbled a little in the methylphenidate ring but not too much. so getting back to the point, i would like to know how much to take each to feel a "high" feeling or however your supposed to feel when you take it recreationally, i also want to know whats the best way to take it like snorting it, orally take it, parachuting it? plus how long does it take to feel effects, and how long they last. so if you could get back to me on this info it would be greatly appreciated. thank you.



#2

Su77en

10-02-2014 03:03



Greenlighter

Join Date: Jan 2014

Posts: 1

I'm trying to process everything now. Can you come across with more for me? Put a pen in it and get back 2 me. Su77en



#3

Dr. Deception

10-02-2014 03:13



Greenlighter



Join Date: Dec 2013

im sorry, but how do you mean? i just want an answer to my questions.if you don't know them thats ok im sure someone else on this forum does.

#10

Pimp Lazy

07-09-2005 23:58

Bluelighter
Join Date: Jan 2004
Posts: 2,245

Flexeril and cannabis has one of the most pleasant body buzzes I've ever had. Smoked opium comes close to that. I imagine the first items might be useful on the come down. Peace.



#11

liquid arcadia

08-09-2005 01:17

Bluelighter
Join Date: Jan 2005
Posts: 379

flexeril works GREAT for me, i ate one 10 mg and it knocked me the fuck out after eating a strong meth infected pill...after i woke up i was very lethargic, as it wore off i could feel the meth take over again and had some trouble sleeping that night...amazing stuff..works great!

#12

Psilocyte

08-09-2005 05:41

Bluelighter
Join Date: Feb 2005
Posts: 454

^ really? hmm. i wonder why it does nothing for me. Ive taken it in the same situation (meth laced pills). I ended up taking 60mg that night and nothing worked. As soon as i took 2 temazepam I was finally relaxed though

Quick Navigation [Archive - ED](#) [Top](#)

[« Previous Thread](#) | [Next Thread »](#)

Soma and Klonopin.

#1

Brian242

15-01-2012 00:56

Bluelighter



Join Date: Jul 2011

Posts: 507

Ok so we all (or most) know that Soma potentiate opiates very well, but I was wondering about taking 1-2mg Clonazepam with 1-2 350mg Soma's. Has this been done and is it safe?

REPLY

QUOTE



#2

Violenza666

15-01-2012 01:05

Bluelighter



Join Date: Dec 2009

Location: The pits of hell

Posts: 3,196

Soma potentiates everything for me. However for the Benzo and Soma non tolerant it's likely a knockout.. lol I am prescribed both...

Try half a soma with 1mg klonopin... or try a whole soma with .5 klonopin... Valium makes me less noddy when I mix it with soma... but sometimes ill be sitting there relaxing and ill fall asleep for hours... I am a stay at home mom so my rule is I don't take my Soma when I am home alone and that way I don't nod out and fall asleep.

How often do you use Klonopin? How tolerant are you? It is safe for some people... for some they can die... all I can tell you.. Be careful!

REPLY

QUOTE



#3

Brian242

15-01-2012 01:20

Bluelighter



Originally Posted by **Violenza666**

Soma potentiates everything for me. However for the Benzo and Soma non tolerant it's likely a knockout.. lol I am prescribed both...

Drugs-Forum

- Home
- Wiki
- Studies
- Forum
- Groups
- Blog
- Video
- Images
- News

Drugs-forum

User Name Remember Me?
 Password

[Register](#) [Tags](#) [Help](#)

Notices

Dear Drugs-Forum readers: We are a small non-profit that runs one of the most read drug information & addiction help websites in the world. We serve over 3 million readers per month, and have costs like all popular websites: servers, hosting, licenses and software. To protect our independence we do not run ads. We take no government funds. We run on donations which average \$25. If everyone reading this would donate \$5 then this fund raiser would be done in an hour. If Drugs-Forum is useful to you, take one minute to keep it online another year by donating whatever you can today. Donations are currently not sufficient to pay our bills and keep the site up. Your help is most welcome. *Thank you.*

[PLEASE HELP](#)

Announcements

[€1500 per month needed to save DF from final crash.](#)

[In memory of Alexander 'Sasha' Shulgin \(1925 - 2014\)](#)

[Members who are Titanium and above wanted for the opiates & opioids ...](#)

[What functions do you want in the new article/journal/blog system?](#)

Video Reports

Hot Rails are Here Again	Toronto Police starts new campaign against party drug scene	disturbing saliva freakout video	The Answer To This Question Is The Most Effective Anti-Drug Message I've Seen
Jimson Weed Dangers	BBC Reporter Unknowingly Gets Stoned on Mid-East Police's Drug Burn	Trauma & Addiction: Crash Course Psychology #31	Drug Policy Abuse - A teenager's plea about drugs

<p>Sitelinks:</p> <ul style="list-style-type: none"> Homepage Wiki Documents Image Gallery Audio Video Forum Blog Groups Reviews News 	<p>Information:</p> <ul style="list-style-type: none"> 3.6 Million Visitors per month 200,000 Members 140,000 Newsletter Subscribers Site Rules Terms of Use Helpdesk Register to Participate Did you forget your password? All Threads <p>Google Custom Search <input type="text"/> <input type="button" value="Search"/></p>
---	--

Drugs-Forum

- Home
- Wiki
- Studies
- Forum
- Groups
- Blog**
- Video
- Images
- News

Remember Me?

[Register](#) [Tags](#) [Help](#)

Notices

Dear Drugs-Forum readers: We are a small non-profit that runs one of the most read drug information & addiction help websites in the world. We serve over 3 million readers per month, and have costs like all popular websites: servers, hosting, licenses and software. To protect our independence we do not run ads. We take no government funds. We run on donations which average \$25. If everyone reading this would donate \$5 then this fund raiser would be done in an hour. If Drugs-Forum is useful to you, take one minute to keep it online another year by donating whatever you can today. Donations are currently not sufficient to pay our bills and keep the site up. Your help is most welcome. *Thank you.*

[PLEASE HELP](#)

Blogs' Statistics

Total Blogs	293
Total Entries	1,331
Entries in Last 24 Hours	0

- Options**
- [View a Random Blog Entry](#)
 - [View RSS Feed](#)

Find Blog Entries

Containing Text:

Search Titles Only

[Advanced Search](#)

Archive

March 2015

S	M	T	W	T	F	S
22	23	24	25	26	27	28
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	1	2	3	4

- Global Tag Cloud**
- addiction**
- addict
 - alexander shulgin
 - antidepressants
 - benzodiazepines
 - cannabis
 - cocaine
 - detox
 - drug induced psychosis
 - drugs
 - faith
 - heroin
 - heroin withdrawal
 - hypnotics
 - kratom
 - legal highs
 - marijuana
 - medical marijuana
 - mental illness
 - mephedrone
 - experience
 - methadone
 - methamphetamine
 - open rx
 - opiates
 - phenibut
 - psychedelics
 - recovery
 - relapse
 - research
 - chemicals
 - casha shulgin
 - taper
 - the hive
 - tolerance

Blogs from the Members of Drugs Forum

Featured blog entry from [Alfa](#)



Why Drugs-Forum is so addictive...

Posted 09-12-2014 at 00:36 by [Alfa](#)

Since starting this site 11 years ago DF has evolved so much. In the beginning it was a cosy group of peeps posting crap and having fun. Hell, I remember that I used to call up members to confront them about soliciting on the site. That all has changed. What was clear from the start was that we are onto something good. Something with meaning. Something that will grow big and influential. Back then we already knew that this site was going to make a difference. This has not changed.

The site has already made significant impact. With 35 million+ readers per year it affects the world. It's one of the main go-to places on the net. It affects what people know about [drugs](#) and how people perceive drugs. [Drug](#) Policy Organisations attribute a lot to DF.

The site has changed lives and saved lives. Lives we...

[Continue reading...](#)

Posted in [Uncategorized](#) Views 2042 Comments 7 Trackbacks 0

Featured blog entry from [JonnyBGoode](#)

Getting addicted to opiates full time..

Posted 17-03-2015 at 23:30 by [JonnyBGoode](#)

After I received that first packet of Oxy's everything changed pretty rapidly. They were a step up from the other pain killers I had been taking in terms of strength and the [euphoria](#) was incredible, it allowed me to be really confident again and go out to clubs even dancing for hours again like if I had been taking [ecstasy](#) still. If you crush up Oxycontin, and snort it, you get the effects instantly and it hits you harder, I had started swallowing one then carrying others crushed up into a powder in a bag with me, I just snorted in pub toilets like people take [cocaine](#) but it was [opiates](#) for me. I loved it so much I just didn't care about anything else, I budgeted all my monthly outgoings around ordering a big parcel from Mexico or Serbia or wherever I could get them sent from dodgy online pharmacies.

It was around the initial...

[Continue reading...](#)

Posted in [Uncategorized](#) Views 32 Comments 0 Trackbacks 0

Recent Entries Best Entries Best Blogs

- [Getting addicted to opiates full time..](#) (JonnyBGoode)
JonnyBGoode 17-03-2015
- [Jumped](#) (Cash,Nexus)
Cash,Nexus 02-03-2015
- [education system failure, college dropouts, and drug use.](#) (ScLOUD90)
ScLOUD90 26-02-2015
- [There Are No Losers.....Only Those Who Quit Trying](#) (The Friving Pan-Things Always Get Hot In Here!)
St Dismas Novitiate 23-02-2015
- [psychoanalysis determining truth behind the BS](#) (ScLOUD90)
ScLOUD90 22-02-2015
- [\(Drug Articles\)Using logic and determining fallacious thinking.](#) (ScLOUD90)
ScLOUD90 22-02-2015

Recent Comments

- [I'm proud of you.. I can see the heart in your...](#)
3 addictions at once. The pain of Poly-substance addiction
- [I love the writing style of this blog it's witty...](#)
Jumped



GET INVOLVED

TEACH



DEA Web-based Resources

www.DEA.gov

The screenshot shows the DEA website homepage with the following elements:

- Header:** "DEA" in large gold letters, "UNITED STATES Drug Enforcement Administration" in white, and the slogan "TOUGH WORK, VITAL MISSION".
- Navigation Menu:** HOME, ABOUT, CAREERS, OPERATIONS, DRUG INFO, PREVENTION, PRESS ROOM.
- Main Content Area:**
 - Left: "Tough Work, Vital Mission The Facts About DEA" with a blue graphic of a hand holding a scale.
 - Center: A large gold DEA Special Agent badge.
 - Right: Three resource boxes:
 - "Drug Facts for Today's Teens" with link "JustThinkTwice.com"
 - "A DEA Resource for Parents" with link "GetSmartAboutDrugs.com"
 - "Wall of Honor" with link "DEA Remembers"
- Bottom Section:** Three columns of content:
 - TOP STORY:** "Couple Handed Lengthy Sentences in International Cocaine Trafficking Conspiracy" dated "JAN 29 (BROWNSVILLE, TEXAS)".
 - TOPICS OF INTEREST:** "DEA Fact Sheet", "Drugs of Abuse: A DEA Resource Guide", "Extension of Temporary Placement of Five Synthetic Cannabinoids", "The DEA Position on Marijuana".
 - RESOURCE CENTER:** "Controlled Substances Act", "DEA Museum and Visitors Center", "Doing Business with DEA", "Drug Disposal", "Employee Assistance Program".



Community Coalitions and Advocacy Groups



Community Anti-Drug Coalitions of America

WWW.cadca.org



Most Frequent Method of Obtaining a Pharmaceutical Controlled Substance for Non-Medical Use

Friends and Family...For Free!!



The Medicine Cabinet and the Problem of Pharmaceutical Controlled Substance Disposal



The Problem – Easy Access





Medicine Cabinets: Easy Access

- More than half of teens (**73%**) indicate that it's easy to get prescription drugs from their parent's medicine cabinet
- Half of parents (**55%**) say anyone can access their medicine cabinet
- Almost four in 10 teens (**38%**) who have misused or abused a prescription drug obtained it from their parent's medicine cabinet



So Many Drugs in the Household – Why?

- Unreasonable quantities being prescribed
- Insurance rules



National Take Back Initiative

September 26, 2015

Got Drugs?

Turn in your
unused or expired
medication for safe disposal
Saturday **September 26, 2015**

Click here
for a collection
site near you.



10:00 AM – 2:00 PM

U.S. Drug Enforcement Administration
Office of Diversion Control



Nationwide Take-back Initiative

Over 3.4 million pounds (1,733 tons) collected

- On September 30, 2010, approximately 122 tons
- On April 30, 2011, approximately 188 tons
- On October 29, 2011, approximately 189 tons
- On April 28, 2012, approximately 276 tons
- On September 29, 2012, approximately 244 tons
- On April 27, 2013, approximately 376 tons
- On October 26 , 2013, approximately 324 tons
- On April 26, 2014, approximately 390 tons
- On September 27, 2014, approximately 309 tons

Secure and Responsible Drug Disposal Act of 2010


- Legislation that provides ultimate users and long-term care facilities (LTCFs) with additional methods to dispose of unused, unwanted, or expired controlled pharmaceuticals in a secure, safe, and responsible manner.
- Authorized DEA to promulgate regulations that allow ultimate users to transfer pharmaceutical controlled substances to authorized entities for disposal.
 - Specific language in the regulation continues to allow Federal, State, tribal, and local law enforcement to maintain collection receptacles at the law enforcement's physical location; and either independently or in partnership with private entities or community groups, to voluntarily hold take-back events and administer mail-back programs.
- Created an exception for LTCFs to transfer pharmaceutical controlled substances for disposal on behalf of patients who reside or have resided at that facility

Secure and Responsible Drug Disposal Act of 2010

- Regulations do not limit the ways ultimate users may dispose of pharmaceutical controlled substances – **they expand them.**
- Any method of pharmaceutical disposal that was valid prior to these regulations continues to be valid.
- Participation is voluntary.
- DEA may not require any person to establish or operate a disposal program.

Disposal of Controlled Substances, Final Rule

- ✓ Ultimate users will now have more locations where they can securely, safely, responsibly, and conveniently dispose of their unwanted pharmaceutical controlled substances.
- ✓ Expected benefit to the public by:
 - Decreasing the supply of pharmaceutical controlled substances available for misuse, abuse, diversion, and accidental ingestion; and
 - Protecting the environment from potentially harmful contaminants by providing alternate means of disposal for ultimate users.



Authorized to Collect

- The following persons are authorized to collect from ultimate user and other non-registrants for destruction:
 - Any DEA registrant authorized pursuant to § 1317.40
 - Federal, State, tribal, or local law enforcement when in the course of official duties and pursuant to § 1317.35

Registrants authorized to collect:

- Manufacturers
- Distributors
- Reverse Distributors
- Narcotic Treatment Programs
- Hospitals/clinics with an on-site pharmacy
- Retail Pharmacies

Authorized collectors, as registrants, are readily familiar with the security procedures and other requirements to handle controlled substances.

How does a registrant become a collector?

- Authorized registrant must be registered to handle schedule II controlled substances
- Request a modification in writing to the DEA or on-line at www.DEAdiversion.usdoj.gov
- Request must contain:
 - Registrant's name, address, and DEA number
 - The method(s) of collection:
 - Collection receptacle and/or mail-back program
 - Authorized signature per § 1301.13(j)
- No fee is required for this modification request

New Authorized Methods of Collection

- Collection receptacles
- Mail-back programs

Collection Receptacles

- Only ultimate users *shall* put the controlled substances directly into the collection receptacle.
- Controlled and non-controlled substances may be comingled.
- Collected substances shall not be counted, sorted, inventoried, or otherwise individually handled.
- Registrants shall not dispose of stock/inventory in collection receptacles.

Design of Collection Receptacle

- Securely fastened to a permanent structure.
- Securely locked, substantially constructed container with permanent outer container and removable inner liner.
- Outer container must have small opening that allows for contents to be added but does not allow for removal of contents.



Collection Receptacle Location

- Must be securely placed and maintained:
 - Inside collector's registered location
 - Inside law enforcement's physical location, or
 - Inside an authorized LTCF



Collection Receptacle Location

- **Registered location** – immediate proximity of designated area where controlled substances are stored and at which an employee is present.
- **LTCF** – located in secure area regularly monitored by LTCF employees.
- **Hospital/clinic** – located in an area regularly monitored by employees, **not** in proximity of where emergency or urgent care is provided.
- **NTP** – located in a room that does not contain any other controlled substances and is securely locked with controlled access.

Mail-Back Program

Requirements of mail-back program

- Only lawfully possessed schedules II-V controlled substances may be collected
- Controlled and non-controlled substances may be collected together

Mail-back Program: Who is Authorized to Operate?

Any authorized collector that has and utilizes at its registered location (on-site) a method of destruction consistent with § 1317.90

Mail-Back Packaging Specifications

- Packages may be made available for sale or free of charge;
- Any person may partner with a collector or law enforcement to make packages available to the public;
- Nondescript and no markings that indicate it contains controlled substances;
- Water- and spill-proof, tamper-evident, tear-resistant, and sealable;
- Pre-addressed with the collector's registered address;
- Pre-paid postage;
- Unique ID number so package can be tracked; and
- Instructions for mailing.



PhRMA v. County of Alameda Cert. denied (5/26/2015)

2012 Ordinance requiring manufacturers and distributors to be responsible for costs of disposal of unused medicines

District court found that the Ordinance serves a legitimate public health and safety interest at a relatively modest cost.



PROZAC® (fluoxetine HCl) FISH (?)





Medicines Recommended for Disposal by Flushing Listed by Medicine and Active Ingredient

This list from FDA tells you what expired, unwanted, or unused medicines you should flush down the sink or toilet to help prevent danger to **people and pets in the home.**

Medicine	Active Ingredient
Abstral, tablets (sublingual)	Fentanyl
Actiq, oral transmucosal lozenge *	Fentanyl Citrate
Avinza, capsules (extended release)	Morphine Sulfate
Buprenorphine Hydrochloride, tablets (sublingual) *	Buprenorphine Hydrochloride
Buprenorphine Hydrochloride; Naloxone Hydrochloride, tablets (sublingual) *	Buprenorphine Hydrochloride; Naloxone Hydrochloride
Butrans, transdermal patch system	Buprenorphine
Daytrana, transdermal patch system	Methylphenidate
Demerol, tablets *	Meperidine Hydrochloride
Demerol, oral solution *	Meperidine Hydrochloride
Diastat/Diastat AcuDial, rectal gel	Diazepam
Dilaudid, tablets *	Hydromorphone Hydrochloride
Dilaudid, oral liquid	Hydromorphone Hydrochloride
Dolophine Hydrochloride, tablets *	Methadone Hydrochloride
Duragesic, patch (extended-release) *	Fentanyl
Embeda, capsules (extended release)	Morphine Sulfate; Naltrexone Hydrochloride
Exalgo, tablets (extended release)	Hydromorphone Hydrochloride
Fentora, tablets (buccal)	Fentanyl Citrate
Kadian, capsules (extended release)	Morphine Sulfate
Methadone Hydrochloride, oral solution *	Methadone Hydrochloride
Methadose, tablets *	Methadone Hydrochloride
Morphine Sulfate, tablets (immediate release) *	Morphine Sulfate
Morphine Sulfate, oral solution *	Morphine Sulfate
MS Contin, tablets (extended release) *	Morphine Sulfate
Nucynta ER, tablets (extended release)	Tapentadol
Onsolis, soluble film (buccal)	Fentanyl Citrate
Opana, tablets (immediate release)	Oxymorphone Hydrochloride
Opana ER, tablets (extended release)	Oxymorphone Hydrochloride
Oxecta, tablets (immediate release)	Oxycodone Hydrochloride
Oxycodone Hydrochloride, capsules	Oxycodone Hydrochloride
Oxycodone Hydrochloride, oral solution	Oxycodone Hydrochloride
Oxycontin, tablets (extended release) *	Oxycodone Hydrochloride
Percocet, tablets *	Acetaminophen; Oxycodone Hydrochloride
Percodan, tablets *	Aspirin; Oxycodone Hydrochloride
Suboxone, film (sublingual)	Buprenorphine Hydrochloride; Naloxone Hydrochloride
Xyrem, oral solution	Sodium Oxybate
Zubsolv, tablets (sublingual)	Buprenorphine Hydrochloride; Naloxone Hydrochloride

November 2013

Active Ingredient	Medicine
Acetaminophen; Oxycodone Hydrochloride	Percocet, tablets *
Aspirin; Oxycodone Hydrochloride	Percodan, tablets *
Buprenorphine	Butrans, transdermal patch (extended release)
Buprenorphine Hydrochloride	Buprenorphine Hydrochloride, tablets (sublingual) *
Buprenorphine Hydrochloride; Naloxone Hydrochloride	Buprenorphine Hydrochloride; Naloxone Hydrochloride, tablets (sublingual) Suboxone, film (sublingual) Zubsolv, tablets (sublingual)
Diazepam	Diastat/Diastat AcuDial, rectal gel
Fentanyl	Abstral, tablets (sublingual) Duragesic, patch (extended-release) *
Fentanyl Citrate	Actiq, oral transmucosal lozenge * Fentora, tablets (buccal) Onsolis, soluble film (buccal)
Hydromorphone Hydrochloride	Dilaudid, tablets * Dilaudid, oral liquid Exalgo, tablets (extended release)
Meperidine Hydrochloride	Demerol, tablets * Demerol, oral solution *
Methadone Hydrochloride	Dolophine Hydrochloride, tablets * Methadone Hydrochloride, oral solution * Methadose, tablets *
Methylphenidate	Daytrana, transdermal patch system
Morphine Sulfate	Avinza, capsules (extended release) Kadian, capsules (extended release) Morphine Sulfate, tablets (immediate release) * Morphine Sulfate, oral solution MS Contin, tablets (extended release)
Morphine Sulfate; Naltrexone Hydrochloride	Embeda, capsules (extended release)
Oxycodone Hydrochloride	Oxecta, tablets (immediate release) Oxycodone Hydrochloride, capsules Oxycodone Hydrochloride, oral solution Oxycontin, tablets (extended release) *
Oxymorphone Hydrochloride	Opana, tablets (immediate release) Opana ER, tablets (extended release)
Sodium Oxybate	Xyrem, oral solution
Tapentadol	Nucynta ER, tablets (extended release)

November 2013



Pharmaceuticals



Legend Drugs v. Controlled Substances



Legend Pharmaceuticals



Non-Controlled Substances

- Muscle Relaxant:
 - Cyclobenzaprine (Flexeril®)





Gabapentin

- Structurally related to γ -amino-butyric acid (GABA), an inhibitor of neurotransmission
- Precise mechanism of action producing analgesic and anti-epileptic actions is unknown
- Approved for clinical and veterinary use as a prescription only medication
- Gabapentin is not named or defined under the CSA
- Anecdotal reports of misuse and abuse



Gabapentin Therapeutic Use

- FDA-approved treatment with multiple off-label uses
 - Approved for the treatment of seizures and various pain states
 - Believed to have many advantages over other available medications and a first-line agent in the treatment of neuropathic pain
- Therapeutic category: anticonvulsant; analgesic
- Products: GABAPENTIN, GRALISE, HORIZANT, NEUROTIN
- Effective dose for the treatment of neuropathic pain varies but is similar to the doses effective for seizure treatment ranging from 300 mg/day to over 3600 mg/day

Gabapentin Abuse and Misuse

- Effects vary with user, dosage, past experience, psychiatric history, and expectations
- Abused alone or used as a cutting agent
- Range of experiences have been reported in relation to abuse: euphoria, sociability, marijuana-like high, zombie-like effects, sedation, and hallucinations
- Withdrawal symptoms reported:
 - Per Kruszewski et al.(2009), dependence and abuse involved toxic delirium, intense cravings, and prolonged post-withdrawal confusional state reminiscent of benzodiazepine withdrawal
- Two studies reporting concomitant abuse:
 - Used with cannabis, alcohol, SSRIs, LSD, amphetamine, and GHB (Psychother Psychosom, 2011)
 - Misuse to potentiate the ‘high’ obtain from methadone (Eur Addict Res, 2014)



Controlled Pharmaceuticals



Prescription Requirements

	Schedule II	Schedule III	Schedule IV	Schedule V
Written	Yes	Yes	Yes	Yes
Oral	Emergency Only*	Yes	Yes	Yes
Facsimile	Yes**	Yes	Yes	Yes
Refills	No	Yes#	Yes#	Yes#
Partial Fills	Yes***	Yes	Yes	Yes

* Must be reduced in writing, and followed by sign, hard copy of the prescription.

** A signed, hard copy of the prescription must be presented before the medication is dispensed.

*** 72 hour time limitation.

With medical authorization, up to 5 in 6 months.



Marijuana

Question ?

Drug
or Not

Controlled
Substance
or Not



Harmful
or Not

“Medicinal”
or Not

Answer: It's a Drug, it's Controlled Federally, It's Harmful
and the “Medicinal” value is not determined
by science yet



Regulatory Controls

- Marijuana is Federally controlled as a Schedule I controlled substance under the Controlled Substances Act (CSA).
- Marijuana has no approved use under the Food, Drug, and Cosmetic Act (FDCA).
 1. Marijuana has a high potential for abuse and no accepted medical use in treatment in the United States
 2. It lacks accepted safety for use under medical supervision
 3. There is sound evidence that smoked marijuana is harmful



Research with Marijuana

Applicants submitting an application and protocol for legitimate research are approved by the Drug Enforcement Administration and the Food and Drug Administration

Substances are not approved for medical use through hysteria, rhetoric or public opinion

Substances are approved for medical use through sound science and analysis !

According to established case law, marijuana has no “currently accepted medical use” because: The drug’s chemistry is not known and reproducible; there are no adequate safety studies; there are no adequate and well-controlled studies proving efficacy; the drug is not accepted by qualified experts; and the scientific evidence is not widely available

Currently there are over 265 researchers registered with DEA conducting scientific studies with marijuana, THC or its cannabinoids

Throughout the drug discovery process, pharmaceutical companies, academic institutions, research institutions, and other organizations publish their studies in scientific journals, books, and patents



Schedule I Researchers

399 Total Schedule I Researcher Registrations

- 265 registered to perform bona fide research with marijuana, marijuana extracts, and THC
- 194 of 265 registered for research with marijuana extracts and derivatives including CBD
- Clinical studies:
 - 17 Researchers are conducting research with smoked marijuana
 - 41 Researchers are conducting research with CBD

Data from June 4, 2015



8-Factor Analysis

- 1. Actual or relative potential for abuse**
- 2. Scientific evidence of pharmacological effects**
- 3. State of the current scientific knowledge**
- 4. History and current pattern of abuse**
- 5. Scope duration and significance of abuse**
- 6. What, if any, risk to public health**
- 7. Psychic or physiological dependence liability**
- 8. Whether an immediate precursor of a substance already controlled**

Petitions to Reclassify

Petitions Filed with DEA

- NORMAL petition - *denied***
- Gettman petition – *denied***
- Olsen petition - *denied***
- Coalition petition – *denied***
- Krumm petition - *pending***
- Governor's petition - *pending***



New Controlled Substances (Recently Scheduled)

➤ Analgesic:

- Tramadol (Ultram®, Ultracet®)
- Schedule IV in CSA as of August 18, 2014



Opiates



Papaver



Somniferum

Codeine

Morphine

Thebaine

Hydrocodone

Hydromorphone

Oxycodone
Hydrocodone



INTERNATIONAL NARCOTICS CONTROL BOARD



Narcotic Drugs
Stupéfiants
Estupefacientes
2014

Estimated World Requirements for 2015
Statistics for 2013

Évaluations des besoins du monde pour 2015
Statistiques pour 2013

Previsiones de las necesidades mundiales para 2015
Estadísticas de 2013



UNITED NATIONS

- INCB Annual Report
Narcotic Drugs
- Estimated World
Requirements for
2015
- Statistics for 2013



International Narcotics Control Board: Comments on Reported Statistics on Narcotic Drugs

The United States was the country with the highest consumption of the following drugs:

2013	DRUG	2012
99%	Hydrocodone	99%
78%	Oxycodone	82%
57%	Morphine	57%
51%	Hydromorphone	42%
51%	Methadone	49%
31.5%	Fentanyl	37%



Most commonly prescribed prescription
medicine?

Hydrocodone/acetaminophen



Estimated World Requirements of Narcotic Drugs 2015

Hydrocodone Top 10 List

- 10 Guatemala 10 kilograms
- 09 Mexico 10 kilograms
- 08 Vietnam 20 kilograms
- 07 China 20 kilograms
- 06 Denmark 25 kilograms
- 05 Columbia 50 kilograms
- 04 Syrian Republic 50 kilograms
- 03 Germany 60 kilograms
- 02 Canada 100 kilograms
- 01 United States 79,700 kilograms 99.5%



Hydrocodone Combinations

Currently, the CSA defines hydrocodone substance as Schedule II, while its combination products as Schedule III.

On October 6, 2014, all hydrocodone products were placed in schedule II.

(see 79FR49661 dated August 22, 2014)



Schedule II

- The drug or other substance has a high potential for abuse
- The drug or other substance has a currently accepted medical use in treatment in the United States or a currently accepted medical use with severe restrictions
- Abuse of the drug or other substance may lead to severe psychological or physical dependence

Schedule III

- The drug or other substance has a potential for abuse less than the drugs or other substances in schedules I or II
- The drug or other substance has a currently accepted medical use in treatment in the United States
- Abuse of the drug or other substance may lead to moderate or low physical dependence or high psychological dependence








Dosing Data for Clinically Employed Opioid Analgesics

DRUG	APPROXIMATE EQUI-ANALGESIC	APPROXIMATE EQUI-ANALGESIC PARENTERAL DOSE	RECOMMENDED STARTING DOSE (adults >50 kg)		RECOMMENDED STARTING DOSE (children and adults <50 kg) ^a	
	ORAL DOSE		ORAL	PARENTERAL	ORAL	PARENTERAL
Opioid Agonists						
Morphine ^b	30 mg q3–4h (around-the-clock dosing) 60 mg q3–4h (single dose or intermittent dosing)	10 mg q3–4h	15 mg q3–4h	5 mg q3–4h	0.3 mg/kg q3–4h	0.1 mg/kg q3–4h
Codeine ^c	130 mg q3–4h	75 mg q3–4h	30 mg q3–4h	30 mg q2h (IM/SC)	1 mg/kg q3–4h ^d	Not recommended
Hydromorphone ^b (DILAUDID)	7.5 mg q3–4h	1.5 mg q3–4h	4 mg q3–4h	1 mg q3–4h	0.06 mg/kg q3–4h	0.015 mg/kg q3–4h
Hydrocodone (in LORCET, LORTAB, VICODIN, others, typically with acetaminophen)	30 mg q3–4h	Not available	5 mg q3–4h	Not available	0.2 mg/kg q3–4h ^d	Not available
Levorphanol	4 mg q6–8h	2 mg q6–8h	2 mg q6–8h	1 mg q6–8h	0.04 mg/kg q6–8h	0.02 mg/kg q6–8h
Meperidine (DEMEROL)	300 mg q2–3h	100 mg q3h	Not recommended	50 mg q3h	Not recommended	0.75 mg/kg q2–3h
Methadone (DOLOPHINE, others)	20 mg q6–8h	10 mg q6–8h	2.5 mg q12h	2.5 mg q12h	0.2 mg/kg q12h	0.1 mg/kg q6–8h
Oxycodone (REXICODONE, OXYCONTIN, also in PERCOCET, PERCODAN, TYLOX, others) ^g	30 mg q3–4h	Not available	5 mg q3–4h	Not available	0.2 mg/kg q3–4h ^d	Not available
Oxymorphone ^b (NUMORPHAN)	Not available	1 mg q3–4h	Not available	1 mg q3–4h	Not recommended	Not recommended
Propoxyphene (DARVON)	130 mg ^e	Not available	65 mg q4–6h ^e	Not available	Not recommended	Not recommended
Tramadol ^f (ULTRAM)	100 mg ^e	100 mg	50–100 mg q6h ^e	50–100 mg q6h ^e	Not recommended	Not recommended
Opioid Agonist–Antagonists or Partial Agonists						
Buprenorphine (BUPRENEX)	Not available	0.3–0.4 mg q6–8h	Not available	0.4 mg q6–8h	Not available	0.004 mg/kg q6–8h
Butorphanol (STADOL)	Not available	2 mg q3–4h	Not available	2 mg q3–4h	Not available	Not recommended
Nalbuphine (NUBAIN)	Not available	10 mg q3–4h	Not available	10 mg q3–4h	Not available	0.1 mg/kg q3–4h



Approval of Single Entity Extended Release Hydrocodone



Zohydro™ER
 (hydrocodone bitartrate) 
 EXTENDED-RELEASE CAPSULES

10 mg • 15 mg • 20 mg • 30 mg • 40 mg • 50 mg

Manufactured by Alkermes Gainesville LLC for Zogenix, Inc. (San Diego, CA)

FDA Approval October 2013

Anticipated Launch March 2014

CURRENT RESEARCH (click one to see how you can help): Support Bluelight by taking the 2013 Inflexion survey!

Thread: Zohydro's Here: Our New Problem Child? (HOLY LORD IN HEAVEN)

POST REPLY

Results 1 to 25 of 63 Page 1 of 3 1 2 3 Last

View First Unread Thread Tools Search Thread Display

Zohydro's Here: Our New Problem Child? (HOLY LORD IN HEAVEN)

#1

bigzip44

Greenlighter



Join Date: Aug 2009

Location: Seattle

Posts: 36



18-02-2014 01:19

Zohydro ER (hydrocodone bitartrate), created by Zogenix, which also makes needle-free sumatriptan injections, is to be released next month (March). They will be releasing this drug in 10, 15, 20, 30, 40, and 50 milligram CAPSULES, which I assume will be filled with a pure hydrocodone powder, despite the 11-2 panel of experts the FDA created to vote on the approval of the drug. This drug is now in production, obviously.

I was badly addicted to OxyContin for many years and I remain on buprenorphine to this day. This "new" drug, made from the same compound that first triggered my addiction to opioids (which I found in vicodin, of course) is to be released in EXACTLY the same way careless way that OXYCONTIN was released by Purdue Pharma except in a presumably even more abusable form, a powder within a capsule. Zogenix and Zohydro's proponents have even gone so far as to reject claims that the new Tylenol-free formulation should be required to have a similar abuse preventative formulation that Purdue Pharma was finally forced into creating so as to continue selling their pure-formulation OxyCodone which is now, of course, the new, very unsexy OP.

Ah, now down to business. This drug is making my scrotum stir with anticipation; I cannot see a future where Zohydro exists where I also do not get high on it. What the fuck do you guys think about this new thing? Could this be the gnarliest opiate "epidemic" since, well, morphine? I want thoughts, information, experience, opinion, conjecture or speculation any of you professionals have on this new drug.

In my opinion, this is going to change history.

(FYI, this thread was moved from Other Drugs)

REPLY

QUOTE



#2

miscbrahh

18-02-2014 03:06



shimazu

Ex-Bluelighter

Join Date: Mar 2012

Posts: 18,698

22-02-2014 16:02

I like hydrocodone but it always took too long for me to really enjoy vicodin. Not really a huge fan of the capsule approach either but people also produce fake Oxycodone pills so it always comes down to where youre getting them from.

Im just interested to see how hard these are pushed onto current pain patients vs how many people just stick with their regular hydro pills. Still though, any drug in an ER version that isnt abuse proof is cool in my book

REPLY

QUOTE



StealYourFace

Bluelighter

Join Date: Oct 2011

Posts: 66

25-02-2014 00:29

The good news (for us) is that it uses Spheroidal Oral Drug Absorption System. Similar to Adderall XR, you can mash up the little beads and release the goodness 😊

REPLY

QUOTE



Felonious Monk

Moderator

Drug Culture

Join Date: Nov 2013

Location: Interzone

Posts: 710

25-02-2014 00:44

Originally Posted by shimazu

are more people using opiates now on average or are there just more people period and more ways to get in trouble for it?

rhetorical question really, but I tend to think a lot of famous "eccentric" people back in the day were really just huge drug addicts

I think the consensus is that more people are using opioids nowadays, especially in the last 5 years, which is why it's starting to be recognized as a problem again. Everything I've read says that all markers of opioid use are up, and anecdotally people are seeing a lot more problems than they used to as well.

-treatment centers/prisons are seeing more upper-middle-class white males using heroin and strong opiates than they ever have before (and more of that population on MMT or bupe as well)

-opiate OD has become a major COD for middle-aged women

-heroin is stronger (in 😊 than it's ever been since the passage of the CSA (and cheaper)

Location: Boston

Posts: 825

REPLY

QUOTE



#9

StealYourFace

18-02-2014 16:40



Bluelighter

Join Date: Oct 2011

Posts: 66

Looking at the product sheet on the mfg website, it looks as if the time release system is similar to Adderall XR/ Dex Spansules with the little time release balls inside. If this is true, these would be awesome. I've never sniffed hydrocodone before for obvious reasons, but this would make it very easy.

Crosses fingers

REPLY

QUOTE



#10

Whosajiggawaaa

18-02-2014 18:09



Bluelighter



Join Date: Jul 2011

Location: Here. I grew up in a crackhouse.

Posts: 3,152

I have never tried hydrocodone only oxy and almost every other opiod. Sort of amped.

REPLY

QUOTE



#11



#19

jackie jones

20-02-2014 15:32



Bluelight Crew



Join Date: Jul 2008

Location: A spoonful of sugar helps the medicine go down.

Posts: 5,589

ZohydroER
(hydrocodone bitartrate)
EXTENDED-RELEASE CAPSULES

1st Oral, Extended Release Hydrocodone without Acetaminophen for Treating Chronic Pain

PDUFA Date March 1, 2013



REPLY

QUOTE



#20

Bigfanofthemdrugs

20-02-2014 20:20



Moderator
Drug Culture
Cannabis Discussion



Join Date: Mar 2012

Location: The Limbic System

Idk what you guys are tripping about, I'm stoked to get in on some of that, hydrocodone is one of my favorite opioids. It's just as euphoric as oxy IMO.

Hysingla™ ER

(hydrocodone bitartrate extended-release tablets)





OXYCODONE





Oxycodone HCL CR (OxyContin®) Reformulation





New OxyContin[®] OP



08-27-2010, 01:11 AM

#17

[mz.mary420](#)

Member



Join Date: May 2010
Location: down south
Posts: 6

well just got ours and they suck! when snorted the pill balls up in your nose and gets stuck, so i tried sucking on one and it did ok, but tastes nasty. No way you can shoot them as metioned in a previous post. havent tried smoking it yet, kinda in a hole money wise, it cost me over \$700.00 to get my 80s filled and i probably wont even get half my money back 😞

* if anyone has tried to smoke this new formulated shit, please post! thanks



08-27-2010, 06:09 AM

#18

[mephist00](#)

Member



Join Date: Apr 2008
Location: NY
Age: 25
Posts: 628

ya my friend has tried to smoke the new ones... said its very harsh on the lungs and throat..

so far the only way ive been able to beat the time release, is use a hose clamp to grind it very fine, and snort it.. it doesnt gel up like you would think (doesnt gel up like the football shaped generic 40's do anyways) it just kinda turns snotty.. but if you can get it down fast it seems to work ok

Quote:

Originally Posted by **stalk**

I've come to the conclusion it's because these psychedelic visions are simply vibrating on a higher, or different, spectrum of frequencies that normally the monkey does not perceive.



Oxycodone 15mg/30mg Immediate Release





Other Oxycodone Products

Percodan



Trade Name: Percodan-Demi
Controlled Ingredient: oxycodone hydrochloride 2.25 mg and oxycodone terephthalate 0.19 mg
Other Ingredients: aspirin, 325 mg



Trade Name: Percodan
Controlled Ingredient: oxycodone hydrochloride 4.5 mg and oxycodone terephthalate 0.38 mg
Other Ingredients: aspirin, 325 mg

Tylox



Trade Name: Tylox
Controlled Ingredient: oxycodone hydrochloride 4.5 mg and oxycodone terephthalate .38 mg
Other Ingredients: Acetaminophen, 500 mg

Percocet






Trade Name: Percocet
Controlled Ingredient: oxycodone hydrochloride, 5 mg
Other Ingredients: Acetaminophen, 325 mg



Oxymorphone Extended Release Opana ER® (Schedule II)


➤ Opana ER® - (Schedule II)

- Treats constant, around the clock, moderate to severe pain
- Becoming popular and is abused in similar fashion to oxycodone ; August 2010 (Los Angeles FD TDS)
- Slang: Blues, Mrs. O, Octagons, Stop Signs, Panda Bears
- Street: \$10.00 – \$80.00





Hydromorphone



Usual Dose: See package insert

Storage: Store at 25°C (77°F), excursions permitted to 15° to 30°C (59° to 86°F) [See USP Controlled Room Temperature]. Dispense in a light-resistant container as defined in the USP.

Roxane Laboratories, Inc.
Columbus, Ohio 43216

NDC 0054-0264-25 100 Tablets

HYDROMORPHONE HYDROCHLORIDE **Ⓒ**
Tablets, USP

4 mg

Each tablet contains 4 mg hydromorphone hydrochloride USP, Rx Only.

Beechler Laboratories
Roxane Laboratories

10054026425

EXP. LOT

1000569302
© RLI, 2009

USUAL DOSAGE: See package insert for prescribing information.

Dispense in a light, light-resistant container as defined in the USP with a child-resistant closure.

Store at 20° to 25°C (68° to 77°F) (USP Controlled Room Temperature).
Rev. 12/09 10-210

Lannett

HYDROMORPHONE HYDROCHLORIDE **Ⓒ**
TABLETS, USP

8 mg

Rx Only

100 TABLETS

Each Tablet Contains:
Hydromorphone Hydrochloride, USP ... 8 mg

Inactive Ingredients:
Acrylonitrile, Lactose, 1-Propyl-3-(3-dimethylamino)propyl Carbodiimide Cross-linked Polymers, and Magnesium Stearate

Manufactured by:
Lannett Company, Inc.
Pittsburgh, PA 15106

Made in the USA

3 0527-1355-01 c



Other Opiates of Interest



Trade Name: MS Contin
Controlled Ingredient: morphine sulfate, 100 mg



Trade Name: MS Contin
Controlled Ingredient: morphine sulfate, 15 mg



Trade Name: MS Contin
Controlled Ingredient: morphine sulfate, 30 mg



Trade Name: Oramorph SR
Controlled Ingredient: morphine sulfate, 30 mg



Trade Name: Oramorph SR
Controlled Ingredient: morphine sulfate, 100 mg



Trade Name: Oramorph SR
Controlled Ingredient: morphine sulfate, 60 mg



Trade Name: Dilaudid
Controlled Ingredient:
hydromorphone hydrochloride, 2 mg




Trade Name: Dilaudid
Controlled Ingredient:
hydromorphone hydrochloride, 4 mg

Fentanyl



Fentora®

- Fentanyl Patches
- Fentanyl Citrate dispensed in a berry flavored lollipop-type unit
- Fentanyl is 100 times more potent than morphine
- Intended to be used for chronic cancer pain & only for people who are tolerant to prescription opioid (narcotic) pain medicines
- Abused for its intense euphoric effects



Actiq®




Dextromethorphan (DXM)

- Cough suppressant in over 125 OTC medications (e.g. Robitussin and Coricidin)
- Bulk form on the Internet
- At high doses, has Ketamine - and PCP-like effects
- Produces physical and psychological dependence
- Deaths associated with DXM abuse



Teen OTC Cough Medicine Misuse and Abuse





Cough Syrup Cocktails

- “Syrup and Soda”
- “Seven and Syrup”
- “Purple Drank”





Opioids v. Heroin



Papaver



Somniferum

Codeine

Morphine

Thebaine


Hydrocodone

Hydromorphone

Oxycodone
Hydrocodone



U.S. Rates of Opioid Overdose Deaths, Sales, and Treatment Admissions, 1999-2010



Source: National Vital Statistics System (NVSS),
DEA's Automation of Reports and
Consolidated Orders System, SAMHSA's
Treatment Episode Data Set



Circle of Addiction & the Next Generation

Oxycodone
Combinations

Percocet®

\$7-\$10/tab

Hydrocodone

Lorcet®

\$5-\$7/tab

OxyContin®

\$80/tab

Roxicodone®


Oxycodone IR

15mg, 30mg

\$30-\$40/tab

Heroin

\$10/bag



NOW OPEN



DARCARS
See what it's like to love car buying
OF SILVER SPRING
Sales & Service

12511 Prosperity Drive • Silver Spring, MD 20904

1-888-589-3065

www.DARCARSvolkswagen.com

Call / Email Alex Pedram, General Sales Manager
APedram@darcars.com

washingtonexaminer.com



The Examiner

WASHINGTON

WEDNESDAY, DECEMBER 5, 2012

Ship's Hatch

Army, Navy,
USAF, USMC & USCG

Promotion/Retirement
Gifts, Flag Cases,
Presentation Clocks

703.413.6289

www.shipshatch.com

Located in the Shops at Crystal City



'Liaisons Dangereuses'

New approach to classic P. 19



Playoff possibilities

Schedule favors Skins P. 35

Cooling down



60° 34°

DETAILS P. 4

POLITICS

Stalemate on 'cliff'

Sides stop talking;
Obama's rate hikes
may be flexible. P. 13

LOCAL

FBI analyst busted

Heroin use spikes in area suburbs

Pill addicts risk deadly drug



Community Impact?

Heroin trafficking organizations relocating to areas where prescription drug abuse is on the rise



Heroin traffickers pave the way for increasing crime and violence

Law enforcement and prosecutors eventually fighting the problem on two fronts (prescription opiate diversion and heroin distribution) further depleting resources

Communities suffer

Clandestinely Produced Synthetic Opioids

What is a synthetic designer drug and why is law enforcement struggling to keep up with these compounds?





Acetylfentanyl

- Chemically-modified derivative of the powerful prescription painkiller Fentanyl
- is reportedly “50 times more potent than heroin and 100 times stronger than morphine
- May 2013 - 10,000 pills of “Desmethyl Fentanyl” intercepted in Montreal— hidden inside a microwave oven and a toaster destined for Colorado
 - Additional 1,500 kilograms of various raw materials; enough to make an additional 3 million pills seized



Acetylfentanyl

- RI Medical Examiner's Office regarding twelve (**12**) overdose deaths in March/April 2013
- Preliminary Lab/Toxicology reports attribute OD deaths to Acetylfentanyl
 - 5 of 12 overdose deaths occurred in Woonsocket, RI
 - May 16, 2013 two individuals arrested in Woonsocket, RI in possession of 28 grams of suspected Acetyl fentanyl
 - Attempts will be made to confirm link to OD deaths





Acetylfentanyl (*N*-(1-phenethylpiperidin-4-yl)-*N*-phenylacetamide)


December 2013
DEA/OD/ODE

Introduction:

Acetylfentanyl, similar to the Schedule II opioid fentanyl, is a potent opioid analgesic. Recently, it has been linked to a number of overdose deaths in the northeastern part of the U.S. Acetylfentanyl is not a part of most illicit drug screens and remained undetected in many of these cases. Upon being identified in one death, secondary analyses were performed to confirm the presence of acetylfentanyl in numerous jurisdictions.

Chemistry:

The chemical structure of acetylfentanyl and the Schedule II substance fentanyl are shown below.



Acetylfentanyl and fentanyl are both synthetic opioids and have similar structures. With one less methyl group attached to the amide group, acetylfentanyl is the *N*-acetyl version of fentanyl.

Pharmacology:

Acetylfentanyl (EC_{50} = 676 nM), similar to morphine (EC_{50} = 23.6 nM), has been shown to bind to μ -opioid receptors in rat cerebrum membrane preparations. Acetylfentanyl, similar to morphine, has been shown to inhibit the twitch response in electrically stimulated vas deferens preparation. A pharmacology study using acetic acid writhing test showed that acetylfentanyl produces analgesic response in mice 15.7-fold more potent than that of morphine. Potency of acetylfentanyl was about 3-fold less than that of fentanyl in this assay. The ED_{50} (the dose at which 50% of test animals had met the criterion for analgesic response) dose for acetylfentanyl, fentanyl and

morphine were 0.021, 0.0061, and 0.33 mg/kg, respectively. Similarly, in another study using tail flick and phenylquinone writhing tests, acetylfentanyl produced analgesic response in mice. Acetylfentanyl has been shown to completely suppress the signs of withdrawal in morphine-dependent monkeys.

Besides analgesia, fentanyl-like substances, similar to other opioid analgesics, produce a variety of pharmacological effects including alteration in mood, euphoria, drowsiness, respiratory depression, suppression of cough reflex, constriction of pupils (miosis), and impaired gastrointestinal motility. Clinical studies evaluating pharmacological effects of acetylfentanyl in humans have not been reported in the scientific literature.

In acute toxicity studies in mice, the LD_{50} (the dose causing death of 50% of test animals) of acetylfentanyl and fentanyl are 9.3 mg/kg and 62 mg/kg, respectively. Significant bleeding in the small intestines of mice was observed in acetylfentanyl-administered mice.

Licit Uses:

There are no published studies as to the safety of acetylfentanyl for human use. There are no commercial or medical uses for this substance.

Illicit Uses:

As a μ -opioid receptor agonist, acetylfentanyl may serve as a direct substitute for heroin or other μ -opioid receptor agonist substances in opioid dependent individuals.

Recently, the Centers for Disease Control and Prevention (CDC) issued a health alert to report that between March 2013 and May 2013, 14 overdose deaths related to injected acetylfentanyl had occurred among intravenous drug users (ages between 19 and 57 years) in Rhode Island.

After confirming five overdoses in one county, including a fatality, Pennsylvania asked coroners and medical examiners across the state to screen for acetylfentanyl. This request led to 50 confirmed fatalities and five non-fatal overdoses statewide in 2013.

Control Status

Acetylfentanyl is not currently scheduled under the Controlled Substance Act (CSA). However, if intended for human consumption, acetylfentanyl may be treated as a "controlled substance analogue" under the CSA pursuant to 21 U.S.C §§802(32)(A) and 813.

Comments and additional information are welcomed by the Drug and Chemical Evaluation Section; Fax 202-353-1263, telephone 202-307-7183, or E-mail ODE@usdoj.gov.

Acetyl Fentanyl Deaths

- Most recent: September 2014, Bend, OR, confirmed by M.E. toxicology
- **14** overdose deaths in RI; March-May 2013, reported by CDC
- Approximately **50** overdose deaths in PA; 2013, (caused by fentanyl *or* acetyl fentanyl) reported by PA Dept. of Drug and Alcohol Programs
- **3** overdose deaths in NC; February 2014, Reported by NC Dept. of Health and Human Services
- **5** overdose deaths in LA; October 2013, reported by the media
- Likely that the prevalence of acetyl fentanyl in opioid-related emergency room admissions and deaths are under-reported. Since standard radioimmunoassays (e.g. ELISA) detect presence of fentanyl and its analogues. ***Confirmatory GC/MS is necessary.***
- DEA monitoring Acetyl fentanyl deaths for possible scheduling
- Total number of fentanyl and acetyl fentanyl deaths unknown without old DAWN system.



CrystalRows


Research Chemicals For Sale , To USA, EU from China



- Home
- Shop
- Payments
- My Account
- Checkout
- Images
- Cart
- Contact Us
- Shipping
- Sample



CrystalRows.com it's a Chinese web store which provides large number of chemicals for student's, researches and any other one who might be interested. CrystalRows.com is a newly founded (2014) dropshipping company of **research chemicals**. We cooperate with a high standards laboratory in China which is able to manufacture up to 500kg weekly of research chemicals. [Read More](#)





Home → Acetyl fentanyl / China White

Acetyl fentanyl / China White

Synonyms : NIH 10485, Desmethyl fentanyl, MCV 4848, China White

Formal Name : N-phenyl-N-[1-(2-phenylethyl)-4-piperidiny]-acetamide, monohydrochloride

CAS Number : 117332-89-5

Molecular Formula : C₂₁H₂₆N₂O • HCl

Formula Weight : 358.9


Formulation : A crystalline solid

Purity : ≥98%

Stability : 2 years

Acetylfentanyl (acetyl fentanyl) is an **opioid** analgesic medication that is certainly a great analog associated with **fentanyl**. Numerous studies projected **acetylfentanyl** is actually around 5 to 15 times stronger compared to heroin. It is additionally documented to be eighty times stronger compared to morphine, as well as fifteen times less strong when compared with **fentanyl**.

It hasn't ever been approved for healthcare usage and also has just recently been marketed illegitimately as a developer drug. **Acetylfentanyl** was found simultaneously with **fentanyl** itself and had almost never been found within the illegitimate industry during the late eighties, and yet never was



Showing all 4 results

Currency Converter

Try our free currency converter

From:

USD

To:

EUR

Amount:

Convert

Type here to search

Cannabinoids

→ eam-2201

→ mam-2201

→ 5-fluoro mn-18

→ 5-fluoro mn-24

→ 5f-akb48

→ 5f-amb

→ 5f-pb22

→ 5f-sdb-006



drug-addicted people. Undesirable side effects can include itching, nausea, and respiratory depression, and this can be really dangerous.

Legality in United States

The substance is now operating inside a legal grey area. As being an analog of **fentanyl**, offering **acetylfentanyl** on purpose for human consumption is prosecutable by the United States Department of Justice as a DEA Schedule I controlled substance. Then again, since the substance isn't classified on the DEA's schedule record if the substance is tagged "not for human consumption" it might be allowed to circulate, just like bath salts have been in past times.



10g Acetyl
fentanyl / China
White

360.00\$

Add to cart



25g Acetyl
fentanyl / China
White

720.00\$

Add to cart



50g Acetyl
fentanyl / China
White

1,450.00\$

Add to cart



100g Acetyl
fentanyl / China
White

2,300.00\$

Add to cart

- [adbica](#)
- [ak-b48](#)
- [amb](#)
- [eg-018](#)
- [fdu-pb22](#)
- [nm-2201](#)
- [pb-22](#)
- [sts-135](#)
- [thj-018](#)
- [thj-2201](#)

Stimulants

- [a-phpp \(pv8\) powder](#)
- [a-phpp \(pv8\) crystal](#)
- [2fa](#)
- [4fa](#)
- [4-meo-pv9](#)
- [4-meo-pv8](#)
- [4-mpd](#)
- [4f-pv8](#)
- [4f-pvp](#)
- [a-pbp](#)
- [a-php \(pv7\)](#)
- [a-pvp \(crystal\)](#)
- [a-pvp \(powder\)](#)
- [butylone](#)
- [dibutylone \(crystal\)](#)
- [dibutylone \(powder\)](#)
- [dimethylone](#)





CrystalRows

Research Chemicals For Sale , To USA, EU from China

Search...



[Home](#)

[Shop](#)

[Payments](#)

[My Account](#)

[Checkout](#)

[Images](#)

[Cart](#)

[Contact Us](#)

[Shipping](#)

[Sample](#)

Home → [Sample Order](#)

As a legit and serious vendor, we provide small sample packages to any client who would like to try our services, delivery time, and the quality of our products.

Our sample package cost 150 USD + 50 USD Shipping.

Inside the package you can include :

5g of any cannabinoid or 5 different x 1g.

OR

3g of any opioid or 3 items x 1 g .

OR

2g of any benzodiazepine or 2 items x 1g.

OR

5g of any stimulant or 5 items x 1g.

OR

2g of any hallucinogen or 2 items x 1g.

If you like our product and services, then the next order must be 10g of each kind.

DO NOT CONTACT US FOR FREE SAMPLES.

DO NOT ASK TO RECEIVE AND PAY AFTER.



Search Products

Search for products



Subscribe to our Newsletter

E-mail *

[Subscribe!](#)

Benzos

→ [alprazolam](#)

→ [diclazepam](#)

→ [etizolam-white](#)

→ [etizolam-yellow](#)

→ [flubromazepam](#)

Stimulants

→ [α-phpp \(pv8\) powder](#)

→ [α-phpp \(pv8\) crystal](#)

→ [2fa](#)

→ [4fa](#)

Date Prepared/ Source:
www.crystalrows.com, retrieved
01/23/2015

Other Fentanyl-Related Compounds Include:

SUBSTANCE	TEMPORARY SCHEDULING under 21 USC 811(h)			EXTENSION OF TEMPORARY SCHEDULING			PERMANENT SCHEDULING				RESCHEDULING from CI to CII					
	FEDERAL			FEDERAL			PROPOSAL	FEDERAL			PROPOSAL		FEDERAL			
	PUB DATE	REGISTER CITATION	CSA SCHEDULE	PUB DATE	REGISTER CITATION	CSA SCHEDULE	PUB DATE	PUB DATE	REGISTER CITATION	CSA SCHEDULE	PUB DATE	PUB DATE	REGISTER CITATION	CSA SCHEDULE		
Sufentanyl								09-30-80	45 FR 64571			03-20-84	05-25-84	49 FR 22074	I-> II	
Alpha-Methylfentanyl							08-05-81	09-22-81	46 FR 46799	I Narcotic						
Alfentanyl								06-25-84	49 FR 25849	I Narcotic			04-17-86	01-23-87	52 FR 2516	I-> II Narcotic
3-Methylfentanyl	03-25-85	50 FR 11690	I	04-24-86	51 FR 15474	I	04-24-86	09-22-86	51 FR 33592	I Narcotic						
Beta-Hydroxyfentanyl	10-29-85	50 FR 43698	I	11-26-86	51 FR 42834	I	11-28-86	05-29-87	52 FR 20070	I Narcotic						
Benzylfentanyl	10-29-85	50 FR 43698	I Expired 11/29/1986													
Beta-Hydroxy-3-Methylfentanyl	10-29-85	50 FR 43698	I	11-26-86	51 FR 42834	I Expired 5/29/1987	11-28-86	01-08-88	53 FR 500	I Narcotic						
Acetyl-Alpha-Methylfentanyl	10-29-85	50 FR 43698	I	11-26-86	51 FR 42834	I	11-28-86	05-29-87	52 FR 20070	I Narcotic						
Thiofentanyl	10-29-85	50 FR 43698	I	11-26-86	51 FR 42834	I	11-28-86	05-29-87	52 FR 20070	I Narcotic						
Thenylfentanyl	10-29-85	50 FR 43698	I Expired 11/29/1986													
3-Methylthiofentanyl	10-29-85	50 FR 43698	I	11-26-86	51 FR 42834	I	11-28-86	05-29-87	52 FR 20070	I Narcotic						
Alpha-Methylthiofentanyl	10-29-85	50 FR 43698	I	11-26-86	51 FR 42834	I	11-28-86	05-29-87	52 FR 20070	I Narcotic						
Para-Fluorofentanyl	02-07-86	51 FR 4722	I	03-10-87	52 FR 7270	I	03-10-87	05-29-87	52 FR 20070	I Narcotic						
Carfentanil							01-12-88	10-28-88	53 FR 43684	II Narcotic						
Remifentanil							09-16-96	11-05-96	61 FR 56893	II Narcotic						

Synthetic Opioid AH-7921

- Synthetic Opioid
- Mimics heroin
- 21 overdose deaths associated in Europe
- Relatively new in US market
Seized in Reno, NV
- Dealer attempting to get a substance that is “not an analogue”
- This is marketed as “badger repellent”



W-15 (Synthetic Opioid)

#1

04-08-2013, 09:07 PM

XOOL 
Peasant

Join Date: Jan 2009

Thanks: 28

Thanked 11 Times in 7 Posts

W-15 (New RC opioid)

Noticed a few vendors stocking W-15 recently. Seriously little info available on it, but I thought there might be a few people here interested. Apparently it's about 5x more potent than morphine. That's all I've really found out, so here's some pics! 

Looks like this:



Hopefully a few knowledgeable people will have some insight. 😊

UPDATE: Found an experience report whilst searching. It's on reddit: http://www.reddit.com/r/opiates/comm...ort_rc_opiate/


According to that, doesn't look very promising :/

Last edited by xool; 04-08-2013 at 09:15 PM.



W-18 (Synthetic Opioid)

- **-(4-Nitrophenylethyl)piperidylidene-2-(4-chlorophenyl)sulfonamide (W-18)** is a potent [μ-opioid](#) agonist with a distinctive chemical structure which is not closely related to other established families of opioid drugs.
- This compound was found to be around 10,000x more potent than [morphine](#) in animal studies, however due to its structural differences from other opioid drugs it would be difficult to represent as being "[substantially similar in chemical structure](#)" to any controlled drugs. This makes it likely that it would not be illegalized under drug analog laws.
- **Nitrophenylethyl)piperidylidene-2-(4-chlorophenyl)sulfonamide**





METHADONE



Methadone- 5mg & 10mg



Mallinckrodt Pharmaceuticals 5 mg & 10mg

Methadone 40 mg



NDC 0406-0540-34 **100 TABLETS**

METHADOSE™
 Dispersible Tablets **Ⓒ**
 (Methadone Hydrochloride
 Tablets for Oral Suspension USP)

40 mg

Each tablet contains:
 Methadone Hydrochloride USP..... 40 mg
Rx only

Mallinckrodt

COVIDIEN™

Usual Dosage:
 See accompanying literature for dosage.

Keep tightly closed.

Dispense in a tight container (USP) with a child-resistant closure.

Store at 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature].

Do not accept if seal over bottle opening is broken or missing.

Mallinckrodt Inc.,
 Hazelwood, MO 63042 USA.

3 0406-0540-34 7

LOT0010 Rev:01/09/09

Treatment of Narcotic Addiction



WHY IS IT ALSO USED AS AN ANALGESIC?

Cheapest narcotic pain reliever – synthetic

Insurance companies

What's the problem?



Overdose... Why?

- Patients not taking the drug as directed
- Physicians not properly prescribing the drug
- Non medical users ingesting with other substances
- Opiate naive



One Pill can Kill



CE Article: (AOCME, CMI, ACEFI) 1 CE credit for this article

By Jonathan J. Lipman, PhD

THE METHADONE POISONING "Epidemic"

Increasing use of Methadone as a pain killer may be fueling a disturbing increase in deaths related to this potent drug.

Name _____ Date _____
Address _____

Rx

Death and morbidity associated with methadone treatment has increased dramatically in recent years, largely in the population prescribed this drug for pain control rather than addiction maintenance. Inadvertent overdose is becoming increasingly common, likely in part because the drug's acute pain-relieving effect lasts only 4 to 6 hours, yet it has a very long and variable plasma half-life of 24 to 36 (in some studies 15 to 55) hours, is stored in body tissues, and toxic accumulation occurs with too-frequent consumption. Adverse effects are most common in patients treated with methadone in combination with other drugs. Both cardiac and respiratory systems are vulnerable targets for the drug's toxic actions, and other co-administered drugs can interactively increase the risk of death through a variety of mechanisms including direct central nervous system depression of respiration, idiosyncratic respiratory vulnerabilities, and lethal cardiac arrhythmias. Idiosyncratic factors also play a part in methadone's cardiac toxicity, and risk factors are well characterized, though perhaps not sufficiently widely known and understood by key stakeholders. The recent change in FDA labeling requirements for the drug—and the November 2006 posting of a government warning regarding its use in pain treatment—has not yet reduced morbidity and mortality associated with methadone as reported in the MedWatch database for the first quarter of 2007.



Prescription Opioid Trafficking Trends DATA-2000 Physicians

Joseph Rannazzisi
Deputy Assistant Administrator
DEA Office of Diversion Control

U.S. Drug Enforcement Administration /
Operations Division / Office of Diversion
Control




Other FDA Approved Drugs for Narcotic Addiction Treatment

➤ Schedule III


– Buprenorphine – Drug Code 9064

- Subutex (sublingual, single entity tablet)
- Suboxone (sublingual, buprenorphine/naloxone tablet)





Benzodiazepines



Trade Name: Valium
Controlled Ingredient: diazepam,
10 mg



Trade Name: Valium
Controlled Ingredient: diazepam,
5 mg



Trade Name: Valium
Controlled Ingredient: diazepam,
2 mg



Alprazolam (Schedule IV)

- Brand name formulation of *Xanax*®
- Anti-anxiety agent used primarily for short-term relief of mild to moderate anxiety
- Part of the class of drugs called benzodiazepines, more commonly referred to as 'benzos'
- Extremely addictive
 - Once dependence has occurred, Xanax makes it markedly more difficult for individuals to successfully self-detox than other benzodiazepines \$2.00-\$2.50 for 2mg dosage unit.





Alprazolam Xanax[®] (Z-bars)

- Drug abusers often prefer alprazolam due to its rapid onset and longer duration of action
- Alprazolam was ranked third in the number of prescriptions for controlled substances in 2003, 2004, 2005 and 2006*
- For all sales of generic pharmaceuticals, alprazolam was ranked 7th**



* Source IMS Health


** Source Verispan VONA

Non-Controlled Benzodiazepines under the CSA

“Diverted”


Non-Controlled Benzodiazepines

approved for medical use abroad




Phenazepam:

approved for medical use in Russia and some Commonwealth of Independent States



Etizolam:

approved for medical use in Japan, India and Italy




Brotizolam:

approved for medical use in Netherlands, Germany, Spain, Belgium, Austria, Portugal, Israel, Italy, Japan


“Designer”

Non-Controlled Benzodiazepines


not approved for medical use internationally




Deschloroetizolam




Flubromazepam




Pyrazolam




Diclazepam



Flubromazolam



Meclonazepam



Clonazolam



Stimulants

Amphetamine Salts C-II

➤ Adderall® C-II



Methylphenidate C-II

➤ Ritalin®

➤ Concerta®





Ritalin® / Concerta® / Adderall

Used legitimately to treat ADHD

Used non-medically to get high and as an academic “performance-enhancer” to improve memory and improve concentration – gain the edge

Higher GPA

Higher SAT / ACT score

Get that scholarship



Parents' Relaxed Attitudes and Permissiveness

- Approximately 29% of parents surveyed say they believe ADHD medication can improve a child's academic or testing performance, even if the teen does not have ADHD

Teen Attitudes

- ✓ **31%** believe prescription drugs (Ritalin or Adderall) can be used as study aids.
- ✓ **29%** believe taking a larger dose than prescribed to them is okay as long as they are not getting high.





ADHD Drugs

- Used legitimately to treat ADHD
- Abuse prevalent among college students; can be snorted, injected or smoked; nicknamed “College Crack”
- \$5.00 to \$10.00 per pill on illicit market
- Adderall® Abusers are 5 times more likely to also abuse prescription pain relievers, 8 times more likely to abuse Benzodiazepines




Trends in Abuse of Ritalin/Adderall

- One in eight teens (about 2.7 million) now reports having misused or abused these prescription stimulants at least once in their lifetime
- 9% of teens (about 1.9 million) report having misused or abused these prescription stimulants in the past year (up from 6% in 2008)
- 6% of teens (about 1.3 million) report abuse of these prescription stimulants in the past month (up from 4% in 2008)
- One in four teens (26%) believes that prescription drugs can be used as a study aid
- More than one in five teens (22%) says there is little or no risk in using Ritalin/Adderall without a prescription



REQUIRED READING



Attention-Deficit and Disruptive Behavior Disorders

Attention-Deficit/Hyperactivity Disorder

Some hyperactive-impulsive or inattentive symptoms that cause impairment must have been present before age 7 years, although many individuals are diagnosed after the symptoms have been present for a number of years, especially in the case of individuals with the Predominantly Inattentive Type (Criterion B)

culty sustaining attention in tasks or play activities and often find it hard to persist with tasks until completion (Criterion A1b). They often appear as if their mind is elsewhere or as if they are not listening or did not hear what has just been said (Criterion A1c). There may be frequent shifts from one uncompleted activity to another. Individuals diagnosed with this disorder may begin a task, move on to another, then turn to yet something else, prior to completing any one task. They often do not follow through on requests or instructions and fail to complete schoolwork, chores, or other duties (Criterion A1d). Failure to complete tasks should be considered in making this diagnosis only if it is due to inattention as opposed to other possible reasons (e.g., failure to understand instructions, defiance). These individuals often have difficulties organizing tasks and activities (Criterion A1e). Tasks that require sustained mental effort are experienced as unpleasant and markedly aversive. As a result, these individuals typically avoid or have a strong dislike for activities that demand sustained self-application and mental effort or that require organizational demands or close concentration (e.g., homework or paperwork) (Criterion A1f). This avoidance must be due to the person's difficulties with attention and not due to a primary oppositional attitude, although secondary oppositionalism may also occur. Work habits are often disorganized and the materials necessary for doing the task are often scattered, lost, or carelessly handled and damaged (Criterion A1g). Individuals with this disorder

- Fails to give close attention to details...makes careless mistakes in schoolwork, work
- Difficulty sustaining attention in tasks
- Does not seem to listen when spoken to
- Does not follow through on instructions
- Difficulty organizing tasks
- Often loses things necessary for tasks
- Easily distracted
- Forgetful

- (g) often loses things necessary for tasks or activities (e.g., toys, school assignments, pencils, books, or tools)
- (h) is often easily distracted by extraneous stimuli
- (i) is often forgetful in daily activities

- (2) six (or more) of the following symptoms of **hyperactivity-impulsivity** have persisted for at least 6 months to a degree that is maladaptive and inconsistent with developmental level:

- Fidgets
- Can't remain seated
- Restlessness
- Difficulty awaiting turn
- Often interrupts or intrudes

- (g) often blurts out answers before questions have been completed
- (h) often has difficulty awaiting turn
- (i) often interrupts or intrudes on others (e.g., butts into conversations or games)

- B. Some hyperactive-impulsive or inattentive symptoms that caused impairment were present before age 7 years.
- C. Some impairment from the symptoms is present in two or more settings (e.g., at school [or work] and at home).

There are no laboratory tests, neurological assessments, or attentional assessments that have been established as diagnostic in the clinical assessment of Attention-Deficit/Hyperactivity Disorder

that requests be met, mood lability, demoralization, dysphoria, rejection by peers, and poor self-esteem. Academic achievement is often markedly impaired and deval-

ued, quat othe ior. I peci to be pare with activ achi is se sam Hyp gite fam imp nou bine salie activ tive by p A tent

Conduct Disorder. The rates of co-occurrence of Attention-Deficit/Hyperactivity Disorder with these other Disruptive Behavior Disorders are higher than with other mental disorders, and this co-occurrence is most likely in the two subtypes marked by hyperactivity-impulsivity (Hyperactive-Impulsive and Combined Types). Other associated disorders include Mood Disorders, Anxiety Disorders, Learning Disorders, and Communication Disorders in children with Attention-Deficit/Hyperactivity Disorder. Although Attention-Deficit/Hyperactivity Disorder appears in at least 50% of clinic-referred individuals with Tourette's Disorder, most individuals with Attention-Deficit/Hyperactivity Disorder do not have accompanying Tourette's Disorder. When the two disorders coexist, the onset of the Attention-Deficit/Hyperactivity Disorder often precedes the onset of the Tourette's Disorder.

There may be a history of child abuse or neglect, multiple foster placements, neurotoxin exposure (e.g., lead poisoning), infections (e.g., encephalitis), drug exposure in utero, or Mental Retardation. Although low birth weight may sometimes be associated with Attention-Deficit/Hyperactivity Disorder, most children with low birth weight do not develop Attention-Deficit/Hyperactivity Disorder, and most children with Attention-Deficit/Hyperactivity Disorder do not have a history of low birth weight.

Associated laboratory findings. There are no laboratory tests, neurological assessments, or attentional assessments that have been established as diagnostic in the clin-

experience few demands for sustained attention. However, even the attention of toddlers can be held in a variety of situations (e.g., the average 2- or 3-year-old child can typically sit with an adult looking through picture books). Young children with Attention-Deficit/Hyperactivity Disorder move excessively and typically are difficult to contain. Inquiring about a wide variety of behaviors in a young child may be helpful in ensuring that a full clinical picture has been obtained. Substantial impairment has been demonstrated in preschool-age children with Attention-Deficit/Hyperactivity Disorder. In school-age children, symptoms of inattention affect classroom work and academic performance. Impulsive symptoms may also lead to the breaking of familial, interpersonal, and educational rules. Symptoms of Attention-Deficit/Hyperactivity Disorder are typically at their most prominent during the elementary grades. As children mature, symptoms usually become less conspicuous. By late childhood and early adolescence, signs of excessive gross motor activity (e.g., excessive running and climbing, not remaining seated) are less common, and hyperactivity symptoms may be confined to fidgetiness or an inner feeling of jitteriness or restlessness. In adulthood, restlessness may lead to difficulty in participating in sedentary activities and to avoiding pastimes or occupations that provide limited opportunity for spontaneous movement (e.g., desk jobs). Social dysfunction in adults appears to be especially likely in those who had additional concurrent diagnoses in childhood. Caution should be exercised in making the diagnosis of Attention-Deficit/Hyperactivity Disorder in adults solely on the basis of the adult's recall of being inattentive or hyperactive as a child, because the validity of such retrospective data is



Methods of Diversion

➤ Practitioners / Pharmacists

- Illegal distribution
- Self abuse
- Trading drugs for sex

➤ Employee pilferage

- Hospitals
- Practitioners' offices
- Nursing homes
- Retail pharmacies
- Manufacturing / distribution facilities

➤ Pharmacy / Other Theft

- Armed robbery
- Burglary (Night Break-ins)
- In Transit Loss (Hijacking)
- Smurfing

➤ Patients / Drug Seekers

- Drug rings
- Doctor-shopping
- Forged / fraudulent / altered prescriptions

➤ The medicine cabinet / obituaries

➤ The Internet

➤ Pain Clinics



Where are the Pharmaceuticals Coming From?

- Friends and Family for Free
- Medicine Cabinet
- Doctor Shopping
- Internet
- Pain Clinics



Prescription Fraud

➤ Fake prescriptions

- Highly organized
- Use real physician name and DEA Registrant Number
 - Contact Information false or “fake office”
 - (change locations often to avoid detection)
- Prescription printing services utilized
 - Not required to ask questions or verify information printed

➤ Stolen prescriptions

- Forged
- “Smurfed” to a large number of different pharmacies



Criminal Activity



Egregious Activity (Not on the fringes)



Doctor Shopping






Prescription Drug Monitoring Programs



Status of Prescription Drug Monitoring Programs (PDMPs)

* To view PDMP Contact information, hover the mouse pointer over the state abbreviation





Mandatory PDMP review before prescribing CS?



Pharmacist access to PDMP



Standard of Care



National Association of Boards of Pharmacy



Diversion via the Internet



Domestic 'Rx' Flow


1. Consumer in Montana orders hydrocodone on the Internet

6. Pharmacy in Iowa fills order and ships to Consumer via Shipper

4. Order is approved by Physician in New Jersey and returned to Web Company

2. Request goes through Website Server in San Antonio, TX

5. Approved order then sent by Web Company to an affiliated Pharmacy
3. Web Company (located in Miami, FL) adds request to queue for Physician approval





New Felony Offense Internet Trafficking - 10/15/2008

- 21 USC 841(h)(1): It shall be unlawful for any person to knowingly or intentionally:
 - (A) deliver, distribute, or dispense a controlled substance by means of the Internet, except as authorized by this title; or
 - (B) aid or abet any violation in (A)

What has been the reaction????



Per Se Violations

Automatic Violation of the CSA if any of the following occurs:

- No in-person medical evaluation by prescribing practitioner
- Online pharmacy not properly registered with modified registration.
- Website fails to display required information



Current CSA Registrant Population

Total Population	1,582,633
Practitioner	1,207,876
Mid-Level Practitioner	272,586
Pharmacy	71,110
Hospital-Clinic	16,411
Teaching Institution	299
Manufacturer	538
Distributor	816
Researcher	7,748
Analytical Labs	1,512
NTP	1,413
Importer/Exporter	493
ADS Machine	1,636
Chemicals	989



SOOOO...How many have applied for registration for Internet Pharmacy Operations?????

53 applications filed

40 withdrawn

9 applications filed in error

4 pending

NONE APPROVED



What took the place of Internet Medical Care and Internet CS pharmaceutical Distribution?




Pain Clinics



Explosion of South Florida Pain Clinics

Estimated Number of Broward County Pain Clinics



As of June 4, 2010, Florida has received 1,118 applications and has approved 1026

*As of May 14, 2010, Broward 142; Miami-Dade 79; Palm Beach 111



Medical Care ?

- Many of these clinics are prescription/dispensing mills
- Minimal practitioner/patient interaction



Increased Law Enforcement Pressure

- Clinics migrating north and west
- Funded by owners in Florida



MRI DONE TODAY

SAME DAY REPORTS GUARANTEED!

ALL WALK-INS WELCOME!!

— NO APPOINTMENT NEEDED —

All Reports Are Read With A Board Certified Radiologist For The Best Diagnostic Results.

\$240

**CASH OR
CREDIT ONLY**



No Insurance Accepted



“short waits or
we will pay you”



“earn \$\$\$ for
patient referrals” (sic)

PAIN

LOW PRICES ON MEDS!

2 DOCTORS ON THE PREMISES MEANS NO WAITS

- Be on time for your appointment and we guarantee short waits or we will pay you!! (Details at front desk)
- Still use the Patient Loyalty Program to earn FREE Visits
- Still earn \$\$\$ for patient referrals
- **SAME FRIENDLY STAFF AND OWNER**

SAVE \$\$
With Our Patient Loyalty Program

\$100 OFF
Initial Visit w/ Ad

Walk-Ins Welcome at 12 Noon Daily.
CALL TODAY FOR APPOINTMENT



Chronic Pain?

Stop Hurting & Start Living!



Established • Professional • Dedicated

Utilizing FDA Approved Medications
Outpatient Detox Available

**ACCEPTING
NEW PATIENTS
DON'T DELAY! CALL TODAY!**

1-800-487-3839



OUTPATIENT DETOX



Get Back The Life You Once Knew

*Confidential * Proven * Dedicated*

CALL TODAY!





Drugs Prescribed

- A 'cocktail' of oxycodone and alprazolam (Xanax®)
- An average 'patient' receives prescriptions or medications in combination

Schedule II	Schedule III	Schedule IV
Oxycodone 15mg, 30mg	Vicodin (Hydrocodone)	Xanax (Alprazolam)
Roxicodone 15mg, 30mg	Lorcet	Valium (Diazepam)
Percocet	Lortab	
Percodan	Tylenol #3 (codeine)	
Demerol	Tylenol #4 (codeine)	
Methadone		



The Controlled Substances Act

21 United States Code



CSA Registrant Population

Current Number of
DEA Registrants.....

1,582,633

June 12, 2015


480,000

1973

Provisional registrations in effect at the
time CSA was passed (relative to the
Harrison Narcotics Act of 1914)



Closed System of Distribution



1,582,633 (06/12/15)

Practitioners: 1,207,876

Retail Pharmacies: 71,110

Hospital/Clinics: 16,411

Law: 21 USC 822 (a) (1) Persons Required to Register:

“Every person who manufactures or distributes any Controlled Substance or List I Chemical or who proposes to engage in ..”

Law: 21 USC 822 (a) (2) Persons Required to Register:

“Every person who dispenses, or who proposes to dispense any controlled substance ...”



Closed System of Distribution





Cutting off the Source of Supply






The Controlled Substances Act

Checks and Balances





The Flow of Pharmaceuticals





Diversion via the Internet



Domestic 'Rx' Flow

1. Consumer in Montana orders hydrocodone on the Internet


6. Pharmacy in Iowa fills order and ships to Consumer via Shipper

4. Order is approved by Physician in New Jersey and returned to Web Company

5. Approved order then sent by Web Company to an affiliated Pharmacy

2. Request goes through Website Server in San Antonio, TX

3. Web Company (located in Miami, FL) adds request to queue for Physician approval





Purchases of hydrocodone by Known and Suspected Rogue Internet Pharmacies January 1, 2006 – December 31, 2006

1		Hillsborough	TAMPA	FLORIDA	33614	15,596,380
2		Pinellas	CLEARWATER	FLORIDA	33765	9,077,810
3		Hillsborough	TAMPA	FLORIDA	33614	8,760,876
4		Baltimore City	BALTIMORE	MARYLAND	21213	5,876,300
5		Hillsborough	TAMPA	FLORIDA	33619	5,718,200
6		Jefferson	RIVER RIDGE	LOUISIANA	70123	4,892,900
7		Hillsborough	TAMPA	FLORIDA	33634	4,733,290
8		Polk	LAKELAND	FLORIDA	33813	4,564,480
9		Hillsborough	TAMPA	FLORIDA	33612	4,220,840
10		Pinellas	CLEARWATER	FLORIDA	33759	3,819,320
11		Hillsborough	TAMPA	FLORIDA	33610	3,044,160
12				FLORIDA	33809	3,039,490
13					70123	2,750,000
14					34652	2,664,120
15					33613	1,902,900
16				FLORIDA	33801	1,726,020
17		Hillsborough	TAMPA	FLORIDA	33612	1,619,765
18		Hillsborough	TAMPA	FLORIDA	33604	1,570,350
19		Pinellas	TARPON SPRINGS	FLORIDA	34689	1,464,900
20		Lincoln	DENVER	NORTH CAROLINA	28037	1,402,450
21		Hillsborough	TAMPA	FLORIDA	33617	1,282,800
22		Hillsborough	TAMPA	FLORIDA	33619	1,272,860
23		Polk	LAKELAND	FLORIDA	33813	1,039,400
24		Pasco	WESLEY CHAPEL	FLORIDA	33543	1,030,050
25		Iredell	MOORESVILLE	NORTH CAROLINA	28117	902,500
26		Polk	LAKELAND	FLORIDA	33815	867,800
27		Broward	HOLLYWOOD	FLORIDA	33021	865,700
28		Los Angeles	ENCINO	CALIFORNIA	91436	798,100
29		Hillsborough	TAMPA	FLORIDA	33604	793,350
30		Pasco	NEW PORT RICHEY	FLORIDA	34652	583,400
31		Ravalli	FLORENCE	MONTANA	59833	362,000
32		Hillsborough	TAMPA	FLORIDA	33619	162,000
33		Broward	DEERFIELD BEACH	FLORIDA	33441	112,600
34		Hillsborough	TAMPA	FLORIDA	33614	49,600
						2,899,021

98,566,711



Checks and Balances of the CSA and the Regulatory Scheme

➤ Distributors of controlled substances

“The registrant shall design and operate a system to disclose to the registrant suspicious orders of controlled substances...Suspicious orders include orders of unusual size, orders deviating substantially from a normal pattern, and orders of unusual frequency.” (21 CFR § 1301.74)



Checks and Balances Under the CSA

- Practitioners

“A prescription for a controlled substance to be effective must be issued for a legitimate medical purpose by an individual practitioner acting in the usual course of professional practice.” (21 CFR § 1306.04(a))

United States v Moore 423 US 122 (1975)



US v. Moore 423 US 122 (1975)

Perfunctory initial physical exam...return visits no exam

Physical exam included needle mark checks...some were simulated

Patient received quantity of drugs requested...were charged based on quantity

Unsupervised urinalysis – results did not matter

Accurate records not kept – quantity dispensed not recorded

Practitioner not authorized to conduct methadone maintenance;

Patient directed prescribing;



The Controlled Substances Act Illegal Distribution

21 U.S.C. § 841 (a) Unlawful acts:

Except as authorized by this subchapter, it shall be unlawful for any person to knowingly or intentionally

(1) to manufacture, distribute or dispense, or possess with intent to manufacture, distribute or dispense, a controlled substance; or



Pharmacists have a responsibility to protect patients, as well as the public, from the abuse, misuse and diversion of prescription drugs.

2014 AACP Program Material



Checks and Balances Under the CSA

Pharmacists – The Last Line of Defense

“The responsibility for the proper prescribing and dispensing of controlled substances is upon the practitioner, but a corresponding responsibility rests with the pharmacist who fills the prescription.”

(21 CFR § 1306.04(a))

U.S. v. Hayes 595 F. 2d 258 (5th Cir 1979)

U.S. v. Leal 75 F. 3d 219 (6th Cir 1996)

U.S. v. Birbragher 603 F. 3d 478 (8th Cir 2010)

East Main Street Pharmacy 75 Fed. Reg. 66149 (Oct. 27, 2010)



Checks and Balances Under the CSA

Pharmacists – The Last Line of Defense

“An order purporting to be a prescription issued not in the course of professional treatment or in legitimate and authorized research is not a prescription within the meaning and intent of section 309 of the act (21 USC 829) and the person knowingly filling such a purported prescription, as well as the person issuing it, shall be subject to the penalties provided for violations of the provisions of law relating to controlled substances.” (21 CFR § 1306.04(a))

U.S v. Hayes 595 F. 2d 258 (5th Cir 1979)

U.S. v. Leal 75 F. 3d 219 (6th Cir 1996)

U.S. v. Birbragher 603 F. 3d 478 (8th Cir 2010)

East Main Street Pharmacy 75 Fed. Reg. 66149 (Oct. 27, 2010)



The Last Line of Defense



Corresponding Responsibility

When prescriptions are clearly not issued for legitimate medical purposes, a pharmacist may not intentionally close his eyes and thereby avoid [actual] knowledge of the real purpose of the prescriptions.

(Ralph J. Bertolino, 55 FR 4729, 4730 (1990)),



Corresponding Responsibility Cases

East Main Street Pharmacy; Affirmance of Suspension Order

[Federal Register (Volume 75, Number 207) October 27, 2010
pages 66149-66165] ; see also Paul H. Volkman 73 FR 30630, 30642 (2008)

Holiday CVS, L.L.C, d/b/a CVS/Pharmacy Nos. 219 and 5195; Decision and order

[Federal Register Volume 77, Number 198 (Friday October 12, 2012) pages 62315-62346]



Potential Red Flags

Many customers receiving the same combination of prescriptions; cocktail

Many customers receiving the same strength of controlled substances; no individualized dosing: multiple prescriptions for the strongest dose

Many customers paying cash for their prescriptions

Early refills

Many customers with the same diagnosis codes written on their prescriptions;

Individuals driving long distances to visit physicians and/or to fill prescriptions;



Potential Red Flags continued

Customers coming into the pharmacy in groups, each with the same prescriptions issued by the same physician; and

Customers with prescriptions for controlled substances written by physicians not associated with pain management (i.e., pediatricians, gynecologists, ophthalmologists, etc.).

Overwhelming proportion of prescriptions filled by pharmacy are controlled substances

Pharmacist did not reach out to other pharmacists to determine why they were not filling a particular doctor's prescription

Verification of legitimacy not satisfied by a call to the doctors office



Red Flag?

What happens next?

You attempt to resolve...



Resolution is comprised of many factors

- Verification of a valid practitioner DEA number ! It is not, however, the end of the pharmacist's duty. Invalid DEA number = Invalid RX
- Resolution cannot be based solely on patient ID and prescriber verification.
- You must use your professional judgment, training and experience...we all make mistakes
- Knowledge and history with the patient
- Circumstances of prescription presentation
- Experience with the prescribing practitioner
- It does not require a call to the practitioner for every CS RX
- This is not an all-inclusive list...



Who do I call to report a practitioner?

- State Board of Pharmacy/Medicine/Nursing/Dental
- State/County/Local Police
- DEA local office and Tactical Diversion Squad
- Health department
- HHS OIG if Medicare/Medicaid fraud



Practical Application of the Controlled Substances Act to the Current Rogue Pain Clinic Situation



**What can happen when these
checks and balances collapse
and diversion occurs?**



Purchases of Oxycodone 30mg

- In 2009, 44% of all oxycodone 30mg products were distributed to Florida
- In 2010, 43% of all oxycodone 30mg products were distributed to Florida



Drug Dealers Masquerading as Doctors

Paul Volkman, Chicago Doctor, Gets 4 Life Terms In Drug Overdose Case



ANDREW WELSH-HUGGINS 02/14/12 06:45 PM ET Associated Press

COLUMBUS, Ohio — A Chicago doctor who prosecutors say dispensed more of the powerful painkiller oxycodone from 2003 to 2005 than any other physician in the country was sentenced Tuesday to four life terms in the overdose deaths of four patients.

Dr. Paul Volkman made weekly trips from Chicago to three locations in Portsmouth in southern Ohio and one in Chillicothe in central Ohio before federal investigators shut down the operations in 2006, prosecutors said. He was sentenced in federal court in Cincinnati.

"This criminal conduct had devastating consequences to the community Volkman was supposed to serve," Assistant U.S. Attorneys Adam Wright and Tim Oakley said in a court filing ahead of Tuesday's hearing.

"Volkman's actions created and prolonged debilitating addictions; distributed countless drugs to be sold on the street; and took the lives of numerous individuals who died just days after visiting him," they said.

The 64-year-old Volkman fired his attorneys earlier this month and said he acted at all times as a doctor, not a drug dealer.

"The typical drug dealer does not care how much drugs a client buys, how often he buys, or what he does with his drugs," Volkman said in a 28-page handwritten court filing Monday, maintaining that he did all those things and more for his patients.



The Last Line of Defense





Why is this happening?




What's the Profit?



- May 20, 2010, Tampa, Florida
owner/operator of pain clinic dispensing
oxycodone
- **\$5,822,604.00** cash seized




What's the Profit?



- One case in Florida owner/operator of pain clinic allegedly generated \$40 million in drug proceeds
- Houston investigation \$41.5 million in assets



What's the Profit?

- 
- A photograph of several stacks of US one hundred dollar bills, fanned out and overlapping. The bills are yellow and feature the portrait of Benjamin Franklin. The stacks are bound with blue rubber bands. The background is a dark blue gradient.
- Another case in Florida - pain clinic operation paid his doctors (in 2009):
 - \$861,550
 - \$989,975
 - \$1,031,975
 - \$1,049,032
 - \$1,225,775



Florida Pain Clinic Raid

NEWS / U.S. NEWS

19 Manatees Rescued From Storm Drain in Satellite Beach, Florida



Crews Battle to Free Manatees From Drainage Pipe



NBC NEWS

A group of 19 manatees was freed after being trapped in a 36-inch storm drain, officials said early Tuesday.

www.nbcnews.com/news/us-news/19-manatees-rescued-storm-drain-satellite-beach-florida-n311506,



Questions



Thank You!